DOCUMENT RESUME

ED 051 370 VT 012 281

TITLE	Social Security Disability Applicant Statistics, 1966.
INSTITUTION	Social Security Administration (DHEW), Washington, D.C. Office of Research and Statistics.
PUB DATE	Nov 69
NOTE	71p.
AVAILABLE FROM	Office of Research and Statistics, Social Security Administration, U.S. Dept. of Health, Education and Welfare, Washington, D.C.
EDRS PRICE	EDRS Price MF-$0.65 HC-$3.29
DESCRIPTORS	Demography, *Dependents, Employees, *Federal Programs, *Handicapped, Handicapped Children, *Insurance Programs, *Participant Characteristics, Statistics, Tables (Data)

ABSTRACT

This publication contains statistical data on applicants for disability benefits under the Social Security Act. Tables containing data through 1966 are provided for worker and childhood disability allowances and refusals. Individual and summary statistics are given for the applicants, who are classified by characteristics such as age, sex, education, diagnostic group, and occupation. (BH)

ED051370

U.S. DEPARTMENT OF HEALTH, EDUCATION & WELFARE
OFFICE OF EDUCATION
THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIGINATING IT. POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY REPRESENT OFFICIAL OFFICE OF EDUCATION POSITION OR POLICY

W-S-1
9

SOCIAL SECURITY

DISABILITY APPLICANT STATISTICS

1966

APPLICANTS FOR DISABLED WORKER AND CHILDHOOD DISABILITY CASH BENEFITS AND RELATED PROTECTION UNDER OLD-AGE, SURVIVORS, DISABILITY, AND HEALTH INSURANCE.

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
SOCIAL SECURITY ADMINISTRATION
OFFICE OF RESEARCH AND STATISTICS

NOVEMBER 1969

PUB 70-11 (2-70)

VT012281

1

ED051370

TABLE OF CONTENTS

		Page
Introduction		1
Benefits under the disability provisions of the Social Security Act		4
Summary of selected data on worker disability allowances		7
Summary of selected data on childhood disability allowances		9
Classified List of Tables:		
Table		
1	Allowances and denials, by year	11
Worker Disability Allowances		
2	Age and sex	12
3	Age in year of onset and sex	13
4	Mobility, age, and sex	14
5	Year of onset of disability, age, and sex—number	15
6	Year of onset of disability, age, and sex—percent	16
7	Diagnostic group, age, and sex	17
8	Diagnostic group, primary diagnosis, age, and sex	18-35
9	Year of onset, diagnostic group, and age	36
10	Fifteen most frequent diagnoses, by sex	37
11	Ten most frequent diagnoses, by age	38
12	Leading causes by primary diagnosis and sex, 1957-66	39
13	Diagnostic group and mobility	40
14	Education and age	41
15	Education and sex	42
16	Visual impairment, age, and sex	43
17	Auditory impairment, age, and sex	44
18	Diagnostic group and State—number	45
19	Diagnostic group and State—percent	46
20	Ten most frequent diagnoses, by State	47
21	Major occupation and age	48
22	Major occupation and sex	49
23	Major occupation and color	50
24	Major occupation and diagnostic group	51
25	Major occupation, leading primary diagnoses, and sex	52
26	Major occupation group and State	53
27	Occupation and sex	54
Worker Disability Denials		
28	Age, sex, and reason for denial	55
29	Age and sex—percent	56

TABLE OF CONTENTS (Continued)

Table		Page
Childhood Disability Allowances		
30	Age and sex	57
31	Education and sex	58
32	Mobility and age	59
33	Diagnostic group, age, and sex	60
34	Diagnostic group, primary diagnosis, and sex	61
35	Ten most frequent diagnoses, by sex	62
36	Ten most frequent diagnoses, by age	63
37	Diagnostic group and State—number	64
38	Diagnostic group and State—percent	65
Childhood Disability Denials		
39	Age, sex, and reason for denial	66

INTRODUCTION

The Social Security Act provides five basic types of disability protection under the old-age, survivors, disability, and health insurance program:

1. Monthly benefits for disabled workers under age 65 and their dependents.

2. The preservation of old-age and survivors insurance benefit rights for disabled workers—the disability freeze which protects the disabled worker against loss of or reduction in the amount of retirement, disability, or survivor benefits by providing that the period of disability will not be counted in determining either insured status or the amount of benefits.

3. Monthly benefits (child's) for adults disabled in childhood, i.e., before attaining age 18, provided they are dependent sons and daughters of disabled or retired worker beneficiaries or of deceased insured workers.

4. Monthly benefits for disabled widows, surviving divorced disabled wives, and disabled widowers effective February 1968.

5. Vocational rehabilitation services to social security disability beneficiaries who have the potential to be restored to productive activity.

Monthly benefits are payable to dependents of disabled worker beneficiaries—namely, wives, divorced wives, and dependent husbands who have reached age 62, wives of any age who have entitled children in their care, and children—minors under age 18, students aged 18-21, and adults disabled prior to age 18.

Amount of Benefit

The disability rate for a disabled worker is equal to the worker's primary insurance amount and is calculated as if the disabled worker were of retirement age. Disability benefits are payable after a 6-month waiting period, provided the disability has occurred prior to the worker's attainment of age 65.

Upon attainment of age 65 a disabled worker's benefit is converted to a retirement benefit. The amount of the converted retirement benefit or the amount of benefits payable to survivors upon the death of the disabled worker will not be reduced because of the years before age 65 or death in which the worker was unable to work because of his disability.

Disability Defined

A person to be considered disabled for social security purposes must be unable to engage in any substantial gainful work due to a medical condition. The law in effect prior to the 1965 amendments required that the person's impairment be of long-continued and indefinite duration or be expected to result in death. Under the 1965 amendments this requirement was changed so that the claimant's impairment must last or be expected to last for a continuous period of at least 12 months. Thus, disability benefits can be paid even if the individual is expected to recover. There is, however, a 6 month waiting period--no payments can be made for the first 6 months a person is disabled. However, under both the previous and present law a person is considered disabled if he cannot work because of a severe physical or mental impairment so as to prevent the individual from working not only in his usual occupation but also in any other kind of substantial gainful work considering his age, education, training and work experience.

Insured Status for Disability Benefits

Monthly disability insurance benefits are payable to insured disabled workers under age 65. To be insured, an individual must (1) have worked in covered employment for at least 5 years out of the 10 immediately preceding the beginning of his disability and (2) be fully insured.

To get disability benefits, it used to be that an individual needed credits for at least 5 of the 10 years before he became disabled unless he became disabled before age 31 because of blindness. The younger worker normally had not had a chance to work long enough to meet this requirement. Under the 1967 amendments an individual between ages 24 and 31 needs to have worked under social security for only half the time between 21 and the time he became disabled. Those disabled before they reach 24 need only 1½ years of work under social security out of the 3 year period ending when their disability began. Service in the military is counted in these "years of work". Those disabled at age 31 or later still must have credit for at least 5 years of work during the 10 years before they become disabled.

Definition of Blindness

Blindness, as a disabling condition, is defined as a central visual acuity of 5/200 or less. The 1967 amendments provide a less restrictive definition of blindness for disability freeze purposes—a visual acuity of 20/200 or less, commonly called industrial blindness. The less restrictive definition of blindness also applies for benefit purposes to a blind worker aged 55 or over who is unable to engage in substantial gainful activity requiring skills or abilities comparable to those of any gainful activity in which he has previously engaged with some regularity and over a substantial period of time. The worker under age 55 who is industrially blind and therefore able to establish disability for freeze purposes still must meet the regular definition of disability—inability to engage in any substantial gainful activity for benefit purposes.

Disability Freeze

The disability freeze provision results in the disabled worker having his insured status and his average monthly wage for benefit purposes maintained as they were when he became disabled. Since the enactment of the 1960 amendments, which eliminated the requirement of age 50 for monthly benefits, virtually all persons who qualify for the disability freeze also qualify for monthly benefits (an exception being certain blind persons).

Benefits to Adults Disabled in Childhood

Monthly benefits are payable to disabled persons aged 18 or over—dependent sons and daughters of retired, disabled, and deceased insured workers—whose disability began before age 18 (child's benefit). Disability for this category of beneficiaries is defined in the same way as it is for disabled workers. The disability must be present at the time the application is filed and must have continued since before the child reached age 18.

Disability Protection for Young Workers

Under the regular provisions of the Social Security Act a worker is insured if he has at least 20 quarters of coverage in the last 40 calendar quarters. The 1967 change in the law provides that a worker disabled before age 31 needs only half the number of quarters elapsing after age 21. Before this amendment, this provision applied only to workers who were disabled by blindness before reaching age 31.

Benefits for Disabled Widows and Widowers

A widow, surviving divorced wife, or widower must have, to meet the disability requirements of the law, a medical condition that is so severe as to ordinarily prevent a person from working. The 1967 amendments provide monthly cash benefits for disabled widows aged 50-59 and for surviving divorced wives and dependent widowers aged 50-61. In addition, the disability must have lasted or be expected to last for a period of at least 12 months. The disability must have begun within a specified 7-year period. The disablement must keep the widow or widower from performing any gainful activity (rather than substantial gainful activity).

Armed Services

Men and women in the Armed Forces, like other

insured workers, have been eligible for disability benefits since 1957. The amount of a soldier's monthly disability payment is based on his average earnings under social security. These earnings include the extra allowances for overseas duty, combat duty, flight duty, etc. For social security purposes, a serviceman receives credit for an additional $100 earnings each month over and above his base pay. This is because base pay does not reflect such items as housing, food, and clothing. No additional social security contribution is deducted for the extra credit. The serviceman and his dependents can receive disability payments even though his service status and pay continue.

Amendments of 1967

The 1967 amendments to the Social Security Act included several provisions relating to disability which qualified additional persons for monthly cash benefits. These provisions provide the following:

(1) a more liberal insured-status requirement for young workers disabled before age 31;

(2) benefits for the disabled widows and widowers; and

(3) a liberalized definition of blindness.

Disability Ends

Disability benefits end for a disabled worker when the person is no longer disabled within the meaning of the law. If a person works while still under a disability, the law continues his benefit payments during 9 months of work. Then, if it is determined after the 9 months that he has demonstrated his ability to do substantial gainful work and therefore is no longer disabled, his benefits are paid for 3 more months. Disability ends for a disabled widow, surviving divorced wife or widower where the conditions are no longer met. The law continues benefits for 2 months after the person's condition improved to the extent that it no longer meets the disability requirements of the law.

Vocational Rehabilitation

The Social Security Act provides for reimbursement from the trust funds for the cost of vocational rehabilitation services furnished to disabled persons receiving benefits because of their disability. The total amount of funds that may be made available for purposes of reimbursement for such services may not, in any fiscal year, exceed 1 percent of the benefits certified for payment to these types of beneficiaries in the preceding year.

Other Disability Programs

Definitions of disability are not the same in all government and private disability programs. Government agencies must follow the particular laws which apply to their disability programs. Therefore, a finding by a private organization or another government agency that a person is disabled would not necessarily mean that he meets the disability requirements of the Social Security Act.

Contents

The following tables contain selected data on the characteristics of applicants for benefits or for a period of disability under the disability provisions of the old-age, survivors, disability, and health insurance program for whom determinations were made during calendar year 1966. Tables 2 through 29 contain data with respect to worker disability applicants and tables 30 through 39 contain data with respect to childhood disability applicants.

The nomenclature used for diagnostic groups has been taken from the 7th revision of the Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death published by the World Health Organization. Certain medical diagnoses within the diagnostic groups—hay fever, tonsillitis, and influenza, for example—would not be a basis for allowing a period of disability and therefore are not represented in the allowed claims.

The Fourth Edition of the Social Security Handbook, published February 1969, contains a detailed explanation of the Federal old-age, survivors, disability, and health insurance program. This edition may be purchased from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402, for $2.25.

BENEFITS UNDER THE DISABILITY PROVISIONS OF THE SOCIAL SECURITY ACT

I. Disability Benefits

At the end of December 1967, nearly 1,200,000 disabled workers under age 65, and about 950,000 dependent wives, husbands, and children were receiving benefits under the social security program, compared to 1,100,000 disabled workers and 875,000 dependents at the end of the preceding year. The corresponding monthly rates were $117 million and $30 million at the end of December 1967 and $108 million and $28 million at the end of December 1966. The average monthly benefit for disabled workers was about $98.50 at the end of 1967—not much more than the average at the end of the preceding year.

II. Benefits Payable to Adults Disabled In Childhood

At the end of December 1967, child's benefits were being paid to about 230,000 disabled adults whose disability began before they reached age 18 and who were dependent sons and daughters of retired, disabled, or deceased insured workers. The corresponding number a year earlier was 214,000. The monthly rate of childhood disability benefits amounted to $12.3 million at the end of 1967 and $11.2 million at the end of 1966.

Type of Disease

The five specific diseases with the largest number of beneficiaries were (1) arteriosclerotic heart disease, including coronary disease; (2) emphysema; (3) schizophrenic disorders (dementia praecox); (4) osteo-arthritis and allied conditions; (5) hypertensive heart disease, with clinical type unspecified. Together the disability allowances based on these five diseases represented 35 percent of all disability allowances in 1966, compared to 37 percent in the previous year. The first three of these diseases retained the same rank among disability allowances in 1966 as among disability allowances in 1965. The last two diseases, ranking 4 and 5 among 1966 allowances, ranked 5 and 4 among 1965 allowances.

The 45,700 disability allowances based on arteriosclerotic heart disease and the 17,000 allowances based on emphysema represent only slight increases from 1965 levels. On the other hand, disability allowances based on schizophrenic disorders declined by 20 percent from 16,300 in 1965 to 13,100 in 1966. Disability allowances based on hypertensive heart trouble declined by 1500 or 16 percent from the 1965 level of 10,700 but disability allowances based on osteoarthritis increased by 5 percent from 9,800 in 1965 to 10,300 in 1966.

Disabilities Among Men and Women

As in past years, diseases of the circulatory system were the most prevalent disabling condition, accounting for 27 percent of the disability allowances in 1966. Other most common disabling conditions were diseases of the bones and organs of movement and diseases of the nervous system and sense organs. Together these three groups accounted for 52 percent of the disability allowances in 1966.

Women made up 25 percent of the disability applicants who were allowed benefits in 1966. Diseases more common as disabling conditions

among women beneficiaries than among men included neoplasms which afflicted 12.4 percent of the women compared to 10.1 percent of the men, and mental and psychoneurotic disorders as disabling conditions for 13.5 percent of the women as compared with 10.4 percent for the men. Also, diseases of the blood and organs of movement were more common as disabling conditions among women than among men since 15.1 percent of the women and only 11.8 percent of the men were allowed benefits in 1966 on this basis.

On the other hand, accidents were relatively more frequent as disabling conditions among men than among women, 6.8 percent compared to 4.5 percent. Diseases of the respiratory system were markedly more common as disabling conditions among men than women, accounting for 9.1 percent of the disability allowances for men compared to only 3.9 percent of the disability allowances for women.

Age, Sex, and Race

About 273,500 workers were allowed disability benefits in 1966, of whom 206,000 or 75 percent were men and 67,000 were women. Nearly 71 percent of the men were aged 50 and over and about 74 percent of the women. The median age for the men was 56 and for women somewhat under 54. White persons comprised 85 percent of all workers, Negroes nearly 14 percent, and 1 percent were persons of other races.

Age at Disability

More than 31 percent of the disabled workers who were allowed disability benefits during 1966 were aged 60 and over when their benefits began. An additional 41 percent were aged 50-59 and the remaining 28 percent were under age 50. The distribution of the 273,000 disability allowances in 1966 by diagnostic group and by age is shown in table 2. Although disabled workers aged 50 and over predominated in each of the major diagnostic groups, the classification of primary diagnoses include workers in a wide range of ages.

There was considerable variation among the various diagnostic groups to the age distribution of the disability allowances included within the group. For example, among workers who were allowed benefits because of afflictions with diseases of the circulatory system, 15 percent were aged 49 or younger. Among persons with neoplasms, 25 percent of those allowed disability benefits were aged 49 or younger. On the other hand, disabled workers under age 50 figured in 52 percent of the allowances based on mental, psychoneurotic, and personality disorders. Also, almost half of the disability allowances based on injuries went to workers under 50.

Diseases of Respiratory System

A little more than 21,300 disability allowances in 1966 were based on diseases of the respiratory system, nearly as many as in 1965. Emphysema figured in about 80 percent of disability allowances involving diseases of the respiratory system and in about 6 percent of all disability allowances in 1966. Pneumoconiosis, another of the diseases of the respiratory system of special interest to the coal mining industry, was involved in 725 disability allowances in 1966 as compared with 1175 disability allowances in 1965, a reduction of 40 percent. Pneumoconiosis is a lung disease caused by extended inhalation of fine dust particles. The coal dust clogs the lungs and impairs the ability of the individual to absorb oxygen and dispel carbon dioxide. The disease is commonly known as "black lung" and is believed to be incurable. Symptoms resemble those of emphysema and chronic bronchitis. About 2400 miners and mining machine operators were allowed disability benefits during 1966, most of them for diseases other than pneumoconiosis. Not all the miners were employed in the coal mining industry. Some were working in quarrying operations and in the metal extracting industries.

Leading Causes of Disability by Occupation

Arteriosclerotic heart disease leads all other disabling conditions as a major disability factor. The disease affected 45,700 persons under the social security disability program in 1966, representing about 17 percent of all allowances. It is equally prevalent among the major occupational groups on a percentage basis and about evenly distributed between the sexes compared to the total.

About 90 percent of the allowances based on emphysema went to men. Emphysema, the second highest cause of disability, hits hardest among the male skilled workers. Though this occupational group represents about 25 percent of the male group, they account for 30 percent of the men with emphysema. In comparison, semi-skilled male workers who comprise 15 percent of all workers represent 16 percent of the men with emphysema.

Ranking third among disabling conditions are schizophrenic disorders. About 71 percent of the allowances based on schizophrenic disorders went to men and 29 percent to women. Female clerical and sales workers are overly represented among those women with schizophrenic disorders. Though clerical and sales occupations comprise 26 percent of all female workers, they account for 34 percent of schizophrenic disorders. Interesting to note, male skilled workers comprise 15 percent of all schizophrenics while accounting for 25 percent of all male workers.

Pulmonary tuberculosis continues to be a leading cause of disability despite recent advances in treatment. The number of allowances in 1966 with tuberculosis increased 10 percent over the preceding year and 45 percent more than the number two years ago. Perhaps the increase in the number of allowances based on tuberculosis can be attributed to the liberalized definition of disability in the 1965 amendments.

Persons engaged in the professional and managerial and clerical and sales occupations suffer less from pulmonary tuberculosis. We may presume that the higher economic levels and greater education usually associated with persons in these occupational groups may have some bearing on the lower incidence of this disease.

Diabetes is a very prevalent disabling condition among disability allowances for women in the service industry. Nearly 40 percent of the allowances based on diabetes went to persons within this occupational category. Women in the service industry comprised about 27 percent of all the women with disability allowances in 1966.

Of the leading causes of disability, farmers and those in related activities seem to be more affected by osteo-arthritis and emphysema and less severely by schizophrenic disorders.

Occupations

Drivers of trucks and other vehicles are in the most hazardous occupation and represent the largest occupational group of disabled under the social security program. They account for 5 percent of all disabled workers. Ranking behind truck drivers are farmers and general repairmen with 2.7 percent of the total disabilities. Following in that order are managers and officials at 2.3 percent and workers in the construction trades, general construction at 2.3 percent, carpenters at 2.2 percent, and painters and plumbers combined at 1.8 percent. Among male workers, truck drivers, etc., represent nearly 6 percent of all disabled workers. Interestingly, employment as general maids leads all other occupations among female disabled workers. Maids represent nearly 7 percent of the group. Perhaps this large proportion of the disabled female workers can be explained by the gathering in of workers with the least skill and attachment to the labor force—those who can regulate working arrangements to suit their physical conditions. Ranking further back in second position are waitresses at 4.3 percent of the total and bookkeepers, general office clerks, salespersons, and cooks at 3.9 percent.

Summary of Selected Data on Worker Disability Allowances

The following data are for the 273,513 worker disability allowances in 1966.

1. Sex

	Number	Percent
Total	273,513	100
Male	206,398	75
Female	67,115	25

2. Age in 1966

(1) 31 percent were aged 60 and over
(2) 25 percent were aged 55-59
(3) 16 percent were aged 50-54
(4) 18 percent were aged 40-49
(5) 10 percent were under age 40

3. Age in Year of Onset of Disability

(1) 68 percent were aged 50-65
(2) 20 percent were aged 40-49
(3) 12 percent were under age 40

4. Incidence by Primary Diagnosis and Age

The 3 primary diagnoses occurring most often by age were as follows:

Under 40
1. Schizophrenic disorders.
2. Pulmonary tuberculosis.
3. Displacement of intervertebral disc.

Aged 40-49
1. Arteriosclerotic heart disease, including coronary disease.
2. Schizophrenic disorders.
3. Displacement of intervertebral disc.

Aged 50-54
1. Arteriosclerotic heart etc.
2. Emphysema.
3. Schizophrenic disorders.

Aged 55-59
1. Arteriosclerotic heart etc.
2. Emphysema.
3. Osteo-arthritis and allied conditions.

Aged 60 and over
1. Arteriosclerotic heart etc.
2. Emphysema.
3. Osteo-arthritis and allied conditions.

5. Incidence by Diagnostic Group

The ranking by frequency of occurrence was as follows:

Diagnostic group	Percent	Cumulative Percent
1. Diseases of the circulatory system (including heart disease)	27	27
2. Diseases of the bones and organs of movement	13	40
3. Diseases of the nervous system and sense organs	12	52
4. Mental, psychoneurotic, and personality disorders	11	63
5. Neoplasms	11	73
6. Diseases of the respiratory system (excluding tuberculosis and other infective diseases)	8	81

Diagnostic group (Continued)	Percent	Cumulative Percent
7. Accidents, poisonings, and violence	6	88
8. Infective and parasitic diseases	4	92
9. Allergic, endocrine system, metabolic, and nutritional diseases	4	95
10. Other	5	100

6. Incidence by Primary Diagnosis

The 5 primary diagnoses occurring most often were as follows:

Primary diagnoses	Number	Percent
1. Arteriosclerotic heart disease, including coronary disease	45,714	17
2. Emphysema	16,998	6
3. Schizophrenic disorders (dementia praecox)	13,097	5
4. Osteo-arthritis and allied conditions	10,336	4
5. Hypertensive heart disease, with clinical type unspecified	9,198	3

7. Visual or Auditory Impairments

	Number
(1) Industrial blindness	2,059
(2) Statutory blindness	2,490
(3) Total deafness	614

8. State of Residence

The 6 States with the most worker allowances were as follows:

State	Number	Percent
1. California	29,365	11
2. New York	27,992	10
3. Pennsylvania	16,528	6
4. Texas	14,025	5
5. Illinois	13,339	5
6. Ohio	12,419	5

9. Leading Causes by Major Occupational Groups

	Number	Percent
Professional and managerial	26,756	9.8
Clerical and sales	32,532	11.9
Service	37,314	13.6
Agricultural, fishery and forestry	17,405	6.4
Manufacturing and related activities	127,828	46.7
Skilled	54,988	20.1
Semi-skilled	39,947	14.6
Unskilled	32,893	12.0
Unknown	31,678	11.6

Summary of Selected Data on Childhood Disability Allowances

The following data are for the 19,027 childhood disability allowances in 1966.

1. Sex

	Number	Percent
Total	19,027	100
Male	10,247	54
Female	8,780	46

2. Age in 1966

(1) 58 percent were aged 18-29
(2) 25 percent were aged 30-39
(3) 17 percent were aged 40 and over

3. Education

(1) 44 percent had not attended a regular school.
(2) 19 percent completed the 5th grade or a higher grade of elementary school but did not attend high school.
(3) 14 percent attended elementary school for 1 or more years but did not advance beyond the 4th grade.
(4) 18 percent completed 1 or more years of high school.

4. Mobility

(1) 27 percent were confined in an institution. The proportion of persons in the different age-groups who were confined in an institution ranged from 34 percent for persons aged 45 and and over to 24 percent for persons aged 18-24.
(2) 7 percent were housebound (bedridden, chairfast, etc.).
(3) 65 percent were capable of some activity outside the home. Of these 38 percent needed help of some kind.

5. Incidence by Diagnostic Group

The ranking by frequency of occurrence was as follows:

	Diagnostic group	Percent	Cumulative Percent
1.	Mental, psychoneurotic, and personality disorders	69	69
2.	Diseases of the nervous system and sense organs	21	90
3.	Congenital malformations	3	93
4.	Infective and parasitic diseases	2	95
5.	Diseases of the bones and organs of movement	2	96
6.	Other	4	100

6. The 6 primary diagnoses occurring most often were as follows:

	Primary diagnoses	Percent
1.	Mental deficiency	54
2.	Cerebral spastic infantile paralysis	9
3.	Schizophrenic disorders (dementia praecox)	7
4.	Epilepsy	7
5.	Mental deterioration and certain other psychoses of unspecified etiology	4
6.	Chronic brain syndrome	3

7. State of Residence

	State	Number	Percent
1.	New York	1,865	10
2.	California	1,270	7
3.	Pennsylvania	1,242	7
4.	Ohio	1,118	6
5.	Illinois	1,008	5
6.	Texas	904	5

Table 1.--Disability allowances and denials: Number of worker and childhood disability allowances and denials, 1955-66

[Based partly on 100-percent data and partly on 20-percent sample]

Year	Worker allowances	Worker denials	Childhood allowances	Childhood denials
Total.....	2,417,343	1,849,165	244,054	52,656
1955.....	57,221	36,310	---	---
1956.....	149,823	155,875	---	---
1957.....	165,003	125,720	36,267	4,873
1958.....	184,476	204,110	21,273	5,544
1959.....	178,952	146,325	34,718	5,745
1960.....	179,419	113,195	22,352	4,405
1961.....	241,060	192,435	23,233	4,395
1962.....	286,434	146,640	27,569	4,965
1963.....	224,229	146,325	22,398	5,755
1964.....	209,475	175,815	17,244	5,460
1965.....	267,738	201,477	19,973	5,947
1966.....	273,513	204,938	19,027	5,567

Table 2.--Worker disability allowances: Number and percentage distribution by age and sex, 1966

Age on birthday in 1966	Total		Male		Female	
	Number	Percent	Number	Percent	Number	Percent
Total.....	273,513	100.0	206,398	100.0	67,115	100.0
Under 25.....	886	.3	789	.4	97	.1
25-29.....	4,810	1.8	4,004	1.9	806	1.2
30-34.....	8,247	3.0	6,632	3.2	1,615	2.4
35-39.....	12,875	4.7	10,249	5.0	2,626	3.9
40-44.....	20,344	7.4	15,581	7.5	4,763	7.1
45-49.....	29,489	10.8	21,680	10.5	7,809	11.6
50-54.....	44,216	16.2	31,893	15.5	12,323	18.4
55-59.....	67,056	24.5	49,023	23.8	18,033	26.9
60-64.....	78,910	28.9	60,924	29.5	17,986	26.8
65 and over.....	6,680	2.4	5,623	2.7	1,057	1.6

Table 3.--Worker disability allowances: Number and percentage distribution by age on birthday in year of onset of disability and sex, 1966

Age on birthday in year of onset of disability	Total		Male		Female	
	Number	Per-cent	Number	Per-cent	Number	Per-cent
Total.....	273,513	100.0	206,398	100.0	67,115	100.0
Under 25.....	2,330	.9	1,962	1.0	368	.5
25-29.....	6,694	2.4	5,279	2.6	1,415	2.1
30-34.....	9,772	3.6	7,752	3.8	2,020	3.0
35-39.....	14,785	5.4	11,555	5.6	3,230	4.8
40-44.....	22,465	8.2	16,900	8.2	5,565	8.3
45-49.....	31,427	11.5	22,772	11.0	8,655	12.9
50-54.....	47,923	17.5	34,624	16.8	13,299	19.8
55-59.....	71,452	26.1	52,496	25.4	18,956	28.2
60-65.....	66,665	24.4	53,058	25.7	13,607	20.3

Table 4.--Number and percentage distribution by age, sex, and mobility status, 1966

Mobility status	Age on birthday in 1966											
	Total		Under 40		40-49		50-54		55-59		60 and over	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
	Total											
Total.....	273,513	100.0	26,818	100.0	49,833	100.0	44,216	100.0	67,056	100.0	85,590	100.0
Institutionalized.....	22,725	8.3	5,847	21.8	6,667	13.4	3,557	8.0	3,686	5.5	2,968	3.5
Hospitalized.....	12,621	4.6	1,905	7.1	2,944	5.9	2,280	5.2	2,699	4.0	2,793	3.3
Housebound.....	17,782	6.5	1,507	5.6	3,050	6.1	2,979	6.7	4,479	6.7	5,767	6.7
Ambulatory outside the home												
With help.....	46,673	17.1	4,847	18.1	8,768	17.6	7,785	17.6	11,446	17.1	13,827	16.2
By self.....	173,712	63.5	12,712	47.4	28,404	57.0	27,615	62.5	44,746	66.7	60,235	70.4
	Men											
Total.....	206,398	100.0	21,674	100.0	37,261	100.0	31,893	100.0	49,023	100.0	66,547	100.0
Institutionalized.....	18,912	9.2	4,885	22.5	5,601	15.0	2,981	9.3	3,040	6.2	2,405	3.6
Hospitalized.....	10,472	5.1	1,695	7.8	2,498	6.7	1,875	5.9	2,149	4.4	2,255	3.4
Housebound.....	12,408	6.0	1,132	5.2	1,971	5.3	1,995	6.3	3,105	6.3	4,205	6.3
Ambulatory outside the home												
With help.....	32,805	15.9	3,822	17.6	6,126	16.4	5,215	16.4	7,735	15.8	9,907	14.9
By self.....	131,801	63.9	10,140	46.8	21,065	56.5	19,827	62.2	32,994	67.3	47,775	71.8
	Women											
Total.....	67,115	100.0	5,144	100.0	12,572	100.0	12,323	100.0	18,033	100.0	19,043	100.0
Institutionalized.....	3,813	5.7	962	18.7	1,066	8.5	576	4.7	646	3.6	563	3.0
Hospitalized.....	2,149	3.2	210	4.1	446	3.5	405	3.3	550	3.0	538	2.8
Housebound.....	5,374	8.0	375	7.3	1,079	8.6	984	8.0	1,374	7.7	1,562	8.2
Ambulatory outside the home												
With help.....	13,868	20.7	1,025	19.9	2,642	21.0	2,570	20.9	3,711	20.6	3,920	20.6
By self.....	41,911	62.4	2,572	50.0	7,339	58.4	7,788	63.2	11,752	65.2	12,460	65.4

Table 5.--Worker disability allowances: Number by age in year of onset and sex, 1966

Year of onset	Age in year of onset								
	Total	Under 30	30-34	35-39	40-44	45-49	50-54	55-59	60-65
	Total								
Total...	273,513	9,002	9,765	14,769	22,449	31,408	47,748	71,165	67,207
1966.....	59,933	1,223	1,457	2,391	3,886	5,880	9,678	15,869	19,549
1965.....	147,668	3,809	4,501	7,196	11,476	16,498	25,924	40,070	38,194
1964.....	37,819	1,395	1,616	2,504	3,758	4,850	7,025	9,551	7,120
1963.....	12,174	544	620	938	1,247	1,806	2,347	3,049	1,623
1962.....	4,968	251	294	418	590	689	969	1,297	460
1961.....	2,643	173	168	234	312	441	577	603	135
1960.....	1,814	126	123	202	240	308	397	376	42
1959 and earlier.....	6,494	1,481	986	886	940	936	831	350	84
	Male								
Total...	206,398	7,226	7,747	11,543	16,891	22,761	34,496	52,285	53,449
1966.....	47,108	1,047	1,224	1,997	3,118	4,520	7,382	12,129	15,691
1965.....	112,898	3,226	3,708	5,775	8,878	12,336	19,069	29,589	30,317
1964.....	27,727	1,126	1,288	1,941	2,779	3,384	4,858	6,771	5,580
1963.....	8,400	407	473	668	857	1,129	1,509	2,071	1,286
1962.....	3,207	182	196	274	364	380	581	844	386
1961.....	1,663	114	110	159	192	266	328	389	105
1960.....	1,160	88	89	139	143	181	244	242	34
1959 and earlier.....	4,235	1,036	659	590	560	565	525	250	50
	Female								
Total...	67,115	1,776	2,018	3,226	5,558	8,647	13,252	18,880	13,758
1966.....	12,825	176	233	394	768	1,360	2,296	3,740	3,858
1965.....	34,770	583	793	1,421	2,598	4,162	6,855	10,481	7,877
1964.....	10,092	269	328	563	979	1,466	2,167	2,780	1,540
1963.....	3,774	137	147	270	390	677	838	978	337
1962.....	1,761	69	98	144	226	309	388	453	74
1961.....	980	59	58	75	120	175	249	214	30
1960.....	654	38	34	63	97	127	153	134	8
1959 and earlier.....	2,259	445	327	296	380	371	306	100	34

Table 6.--Worker disability allowances: Percentage distribution by age in year of onset and sex, 1966

Year of onset	Age in year of onset								
	Total	Under 30	30-34	35-39	40-44	45-49	50-54	55-59	60-65
	Total								
Total...	100.0	3.3	3.6	5.4	8.2	11.5	17.5	26.0	24.6
1966.....	100.0	2.0	2.4	4.0	6.5	9.8	16.1	26.5	32.6
1965.....	100.0	2.6	3.0	4.9	7.8	11.2	17.6	27.1	25.9
1964.....	100.0	3.7	4.3	6.6	9.9	12.8	18.6	25.3	18.8
1963.....	100.0	4.5	5.1	7.7	10.2	14.8	19.3	25.0	13.3
1962.....	100.0	5.1	5.9	8.4	11.9	13.9	19.5	26.1	9.3
1961.....	100.0	6.5	6.4	8.9	11.8	16.7	21.8	22.8	5.1
1960.....	100.0	6.9	6.8	11.1	13.2	17.0	21.9	20.7	2.3
1959 and earlier.....	100.0	22.8	15.2	13.6	14.5	14.4	12.8	5.4	1.3
	Male								
Total...	100.0	3.5	3.8	5.6	8.2	11.0	16.7	25.3	25.9
1966.....	100.0	2.2	2.6	4.2	6.6	9.6	15.7	25.7	33.3
1965.....	100.0	2.9	3.3	5.1	7.9	10.9	16.9	26.2	26.9
1964.....	100.0	4.1	4.6	7.0	10.0	12.2	17.5	24.4	20.1
1963.....	100.0	4.8	5.6	7.9	10.2	13.4	18.0	24.6	15.3
1962.....	100.0	5.7	6.1	8.5	11.3	11.8	18.1	26.3	12.0
1961.....	100.0	6.9	6.6	9.6	11.5	16.0	19.7	23.4	6.3
1960.....	100.0	7.6	7.7	12.0	12.3	15.6	21.0	20.9	2.9
1959 and earlier.....	100.0	24.5	15.6	13.9	13.2	13.3	[illegible]	5.9	1.2
	Female								
Total...	100.0	2.6	3.0	4.8	8.3	12.9	19.7	28.1	20.5
1966.....	100.0	1.4	1.8	3.1	6.0	10.6	17.9	29.1	30.1
1965.....	100.0	1.7	2.3	4.1	7.5	12.0	19.7	30.1	22.7
1964.....	100.0	2.7	3.2	5.6	9.7	14.5	21.5	27.5	15.3
1963.....	100.0	3.6	3.9	7.2	10.3	17.9	22.2	25.9	8.9
1962.....	100.0	3.9	5.6	8.2	12.8	17.5	22.0	25.7	4.2
1961.....	100.0	6.0	5.9	7.7	12.2	17.9	25.4	21.8	3.1
1960.....	100.0	5.8	5.2	9.6	14.8	19.4	23.4	20.5	1.2
1959 and earler.....	100.0	19.7	14.5	13.1	16.8	16.4	13.5	4.4	1.5

Table 7.--Worker disability allowances: Number and percentage distribution by diagnostic group and by age and sex, 1966

Diagnostic group	Age on birthday in 1966									
	Total		Under 35		35-49		50-59		60 and over	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
	Total									
Total	273,513	100.0	13,943	100.0	62,708	100.0	111,272	100.0	85,590	100.0
Infective and parasitic diseases	11,248	4.1	1,204	8.6	4,166	6.6	4,087	3.7	1,791	2.1
Neoplasms	29,241	10.7	945	6.8	6,333	10.1	13,016	11.7	8,947	10.5
Allergic, endocrine system, metobolic, and nutritional diseases	10,043	3.7	355	2.5	2,082	3.3	4,408	4.0	3,198	3.7
Mental, psychoneurotic, and personality disorders	30,489	11.1	4,010	28.8	11,710	18.7	10,084	9.1	4,685	5.5
Diseases of the nervous system and sense organs	32,971	12.1	1,531	11.0	7,119	11.4	13,447	12.1	10,874	12.7
Diseases of the circulatory system	73,765	27.0	698	5.0	10,594	16.9	32,094	28.8	30,379	35.5
Diseases of the respiratory system	21,338	7.8	132	.9	2,472	3.9	9,813	8.8	8,921	10.4
Diseases of the digestive system	6,234	2.3	204	1.5	1,548	2.5	2,752	2.5	1,730	2.0
Diseases of the bones and organs of movement	34,474	12.6	1,613	11.6	8,889	14.2	13,733	12.3	10,239	12.0
Accidents, poisonings, and violence	17,090	6.2	2,663	19.1	5,652	9.0	5,409	4.9	3,366	3.9
Other	6,620	2.4	588	4.1	2,143	3.5	2,429	2.3	1,460	1.8
	Male									
Total	206,398	100.0	11,425	100.0	47,510	100.0	80,916	100.0	66,547	100.0
Infective and parasitic diseases	9,616	4.7	1,000	8.8	3,567	7.5	3,490	4.3	1,559	2.3
Neoplasms	20,889	10.1	738	6.5	4,266	9.0	9,035	11.2	6,850	10.3
Allergic, endocrine system, metobolic, and nutritional diseases	6,244	3.0	254	2.2	1,390	2.9	2,538	3.1	2,062	3.1
Mental, psychoneurotic, and personality disorders	21,413	10.4	3,144	27.5	8,496	17.9	6,540	8.1	3,233	4.9
Diseases of the nervous system and sense organs	25,097	12.2	1,152	10.1	5,236	11.0	10,057	12.4	8,652	13.0
Diseases of the circulatory system	56,711	27.5	518	4.5	8,159	17.2	23,884	29.5	24,150	36.3
Diseases of the respiratory system	18,723	9.1	105	.9	1,997	4.2	8,489	10.5	8,132	12.2
Diseases of the digestive system	4,790	2.3	163	1.4	1,185	2.5	2,098	2.6	1,344	2.0
Diseases of the bones and organs of movement	24,326	11.8	1,387	12.1	6,809	14.3	9,043	11.2	7,087	10.6
Accidents, poisonings, and violence	14,049	6.8	2,504	21.9	4,925	10.4	4,195	5.2	2,425	3.6
Other	4,540	2.2	460	4.0	1,480	3.2	1,547	1.9	1,053	1.7
	Female									
Total	67,115	100.0	2,518	100.0	15,198	100.0	30,356	100.0	19,043	100.0
Infective and parasitic diseases	1,632	2.4	204	8.1	599	3.9	597	2.0	232	1.2
Neoplasms	8,352	12.4	207	8.2	2,067	13.6	3,981	13.1	2,097	11.0
Allergic, endocrine system, metobolic, and nutritional diseases	3,799	5.7	101	4.0	692	4.6	1,870	6.2	1,136	6.0
Mental, psychoneurotic, and personality disorders	9,076	13.5	866	34.4	3,214	21.1	3,544	11.7	1,452	7.6
Diseases of the nervous system and sense organs	7,874	11.7	379	15.1	1,883	12.4	3,390	11.2	2,222	11.7
Diseases of the circulatory system	17,054	25.4	180	7.1	2,435	16.0	8,210	27.0	6,229	32.7
Diseases of the respiratory system	2,615	3.9	27	1.1	475	3.1	1,324	4.4	789	4.1
Diseases of the digestive system	1,444	2.2	41	1.6	363	2.4	654	2.2	386	2.0
Diseases of the bones and organs of movement	10,148	15.1	226	9.0	2,080	13.7	4,690	15.4	3,152	16.6
Accidents, poisonings, and violence	3,041	4.5	159	6.3	727	4.8	1,214	4.0	941	4.9
Other	2,080	3.1	128	5.1	663	4.3	882	2.9	407	2.2

Table 8.--Worker disability allowances: Number by age, sex, diagnostic group, and primary diagnosis, 1966

[Primary diagnoses relating to 100 or more workers shown separately]

Diagnostic group and primary diagnosis	International code	Age 1/							
		Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Total							
Total	---	273,513	5,696	21,122	20,344	29,489	44,216	67,056	85,590
Infective and parasitic diseases	001-138	11,248	492	1,732	1,418	1,728	1,929	2,158	1,791
Pulmonary tuberculosis	002	8,643	423	1,460	1,187	1,403	1,516	1,493	1,161
Tuberculosis of bones and joints, active or unspecified	012	168	7	32	23	22	20	27	37
Cardiovascular syphilis except aorta	023	126	0	0	3	3	13	47	60
Tabes dorsalis	024	124	0	1	3	5	19	43	53
Certain syphilis of central nervous system 2/	026	232	1	10	10	25	43	57	86
Acute poliomyelitis	080	328	1	43	42	46	49	93	54
Late effects of acute poliomyelitis	081	405	4	32	39	48	89	113	80
Other fungus infections	134	102	1	11	9	22	13	29	17
Certain infective and parasitic diseases	138	181	16	41	20	28	26	34	16
Other	---	939	39	102	82	126	141	222	227
Neoplasms	140-239	29,241	412	1,500	1,913	3,453	5,335	7,681	8,947
Malignant neoplasm of tongue	141	313	1	4	9	48	67	97	87
Malignant neoplasm of floor of mouth	143	147	0	2	9	20	40	41	35
Malignant neoplasm of other parts of mouth unspecified	144	209	0	2	10	23	55	63	56
Malignant neoplasm of oral mesopharynx	145	153	0	5	7	21	32	45	43
Malignant neoplasm of pharynx, unspecified	148	138	0	2	3	15	35	40	43
Malignant neoplasm of oesophagus	150	451	1	9	11	40	115	133	142
Malignant neoplasm of stomach	151	861	3	38	49	81	148	232	310
Malignant neoplasm of large intestine, except rectum	153	1,667	12	58	78	166	278	476	599
Malignant neoplasm of rectum	154	1,184	6	37	56	109	197	342	437
Malignant neoplasm of biliary passages and of liver	155	155	2	6	11	17	22	41	56
Malignant neoplasm of liver	156	235	2	9	19	25	50	68	62
Malignant neoplasm of pancreas	157	706	2	19	49	79	133	186	238
Malignant neoplasm of larynx	161	928	0	8	33	88	164	268	367
Malignant neoplasm of bronchus and trachea, and of lung specified as primary	162	2,206	2	73	110	252	413	608	748
Malignant neoplasm of lung, unspecified as to whether primary or secondary	163	3,662	6	107	205	401	679	1,027	1,237
Malignant neoplasm of thoracic organs	165	165	1	9	12	19	28	56	40
Malignant neoplasm of breast	170	1,940	4	54	126	304	438	541	473
Malignant neoplasm of cervix uteri	171	795	4	77	84	142	156	195	137
Malignant neoplasm of uterus, unspecified	174	132	0	4	4	21	19	39	45
Malignant neoplasm of ovary, Fallopian tube, and broad ligament	175	477	2	15	36	86	103	129	106
Malignant neoplasm of prostate	177	1,047	0	1	6	34	88	271	647
Malignant neoplasm of testis	178	142	32	41	22	12	10	18	7
Malignant neoplasm of kidney	180	512	1	16	44	53	92	140	166
Malignant neoplasm of bladder and other urinary organs	181	667	2	4	28	56	104	183	290
Malignant melanoma of skin	190	272	13	38	30	40	36	55	60
Malignant neoplasm of skin excluding malignant melanoma	191	310	0	10	16	37	56	92	99
Malignant neoplasm of brain and other parts of nervous system	193	1,220	48	161	138	195	230	246	202
Malignant neoplasm of thyroid gland	194	101	3	7	9	11	18	20	33
Malignant neoplasm of bone (excluding jaw bone)	196	296	17	25	21	40	50	72	71
Malignant neoplasm of connective tissue	197	224	6	24	27	27	43	42	55

Table 8.--Continued

Diagnostic group and primary diagnosis	International code	Age 1/							
		Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Total--Continued							
Malignant neoplasm of certain and unspecified sites	199	2,881	27	137	199	370	566	779	803
Lymphosarcoma and reticulosarcoma	200	744	25	52	59	100	137	189	182
Hodgkin's disease	201	641	82	146	93	79	72	88	81
Lymphoma	202	136	3	8	10	18	24	35	38
Multiple myeloma	203	625	3	14	34	63	119	187	205
Leukaemia and aleukaemia	204	832	37	59	60	82	134	198	262
Benign neoplasm of brain and other parts of nervous system	223	445	18	69	47	61	79	87	84
Neoplasm of unspecified nature of brain and certain parts of nervous system	237	328	17	42	43	49	58	49	10
Other	---	1,294	30	108	106	169	245	303	331
Allergic, endocrine system, metabolic, and nutritional diseases	240-289	10,043	133	572	653	1,079	1,686	2,722	3,198
Thyrotoxicosis with or without goitre	252	224	2	17	14	30	43	56	62
Myxoedema and cretinism	253	114	3	2	5	14	18	31	41
Diabetes mellitus	260	6,845	102	395	414	697	1,089	1,859	2,289
Diseases of pituitary gland	272	138	7	16	18	16	20	35	26
Certain avitaminoses and nutritional deficiency states	286	127	2	9	7	16	25	31	37
Obesity, not specified as of endocrine origin	287	1,666	2	59	120	196	333	488	468
Gout	288	405	0	9	22	31	60	115	168
Certain metabolic diseases	289	241	6	40	26	40	45	47	37
Other	---	283	9	25	27	39	53	60	70
Diseases of the blood and blood-forming organs	290-299	744	15	55	68	73	118	168	247
Certain anaemias	292	201	11	20	19	23	26	43	59
Polycythaemia	294	131	2	3	7	13	28	29	49
Anaemia of unspecified type	293	118	0	1	9	8	18	33	49
Other	---	294	2	31	33	29	46	63	90
Mental, psychoneurotic, and personality disorders	300-329	30,489	1,594	5,605	4,078	4,443	4,702	5,382	4,685
Schizophrenic disorders (dementia praecox)	300	13,097	1,233	4,036	2,331	2,058	1,594	1,186	659
Manic-depressive reaction	301	874	17	84	87	122	185	193	186
Involutional melancholia	302	1,460	0	7	63	140	331	470	449
Paranoia and paranoid states	303	127	2	13	20	23	20	27	22
Presenile psychosis	305	223	0	1	2	17	42	85	76
Psychosis with cerebral arteriosclerosis	306	137	0	0	3	2	11	40	81
Alcoholic psychosis	307	391	3	32	31	65	71	93	96
Psychosis due to any disease or injury of brain 3/	308	275	21	62	46	31	29	54	32
Mental deterioration and certain other psychoses of unspecified etiology	309	1,301	44	195	158	204	234	238	228
Anxiety reaction without mention of somatic symptoms	310	1,903	28	168	267	362	353	392	333
Hysterical reaction without mention of anxiety reaction	311	682	12	82	101	137	118	135	97
Obsessive-compulsive reaction	313	115	5	18	19	21	15	29	8
Neurotic-depressive reaction	314	2,292	27	194	219	316	412	584	540
Psychoneurosis with somatic symptoms affecting certain systems	317	235	3	17	25	44	41	63	42
Certain psychoneurotic disorders, other, mixed, and unspecified types	318	668	15	67	69	92	128	169	128

Table 8.--Continued

Diagnostic group and primary diagnosis	International code	Age 1/							
		Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Total--Continued							
Pathological personality	320	243	7	33	30	49	42	44	38
Immature personality	321	217	8	25	37	46	32	40	29
Alcoholism	322	1,121	3	60	99	147	244	300	268
Mental deficiency	325	1,242	63	223	204	194	205	205	148
Chronic brain syndrome	328	3,446	93	248	227	320	532	906	1,120
Other	---	440	10	40	40	53	63	129	105
Diseases of the nervous system and sense organs	330-398	32,971	625	2,373	2,329	3,323	5,172	8,275	10,874
Subarachnoid haemorrhage	330	539	9	49	68	89	102	106	116
Cerebral haemorrhage	331	6,359	10	139	214	480	1,072	1,832	2,612
Cerebral embolism and thrombosis	332	4,754	20	99	186	375	819	1,372	1,883
Certain vascular lesions affecting central nervous system	334	2,975	14	55	75	148	319	806	1,558
Meningitis, except meningococcal and tuberculous	340	180	6	36	16	33	29	36	24
Encephalitis, myelitis, and encephalomyelitis	343	166	15	20	17	30	25	33	26
Multiple sclerosis	345	2,036	132	476	395	348	323	238	124
Paralysis agitans	350	2,163	2	11	46	151	286	648	1,019
Cerebral spastic infantile paralysis	351	251	12	54	33	37	42	45	28
Certain types of cerebral paralysis	352	142	11	13	11	16	28	33	30
Epilepsy	353	2,023	110	426	332	325	276	312	242
Certain diseases of the brain	355	2,078	46	171	162	226	372	548	553
Motor neurone disease and muscular atrophy	356	830	9	58	66	115	153	239	190
Certain diseases of the spinal cord including paralysis resulting from spinal cord injuries	357	706	44	111	73	90	125	134	129
Sciatica	363	184	2	24	19	18	30	44	47
Polyneuritis and polyradiculitis	364	215	7	32	24	27	35	45	45
Certain and unspecified forms of neuralgia and neuritis	366	279	3	28	23	40	36	65	84
Certain diseases of peripheral nerves	368	827	12	71	89	134	147	193	181
Certain inflammations of uveal tract	376	243	6	39	25	32	49	56	36
Refractive errors of the eye	380	252	8	20	22	26	45	58	73
Cataract of the eye	385	639	2	18	23	37	89	183	287
Detachment of retina	386	195	5	17	12	15	28	49	69
Glaucoma	387	810	8	28	40	53	133	201	347
Certain diseases of the eye	388	1,452	51	152	118	157	196	350	428
Blindness	389	847	49	82	94	101	131	183	207
Certain inflammatory diseases of the ear	394	108	0	2	6	9	15	25	51
Meniere's disease	395	253	0	9	14	25	38	77	90
Deaf mutism	397	146	2	21	13	24	18	33	35
Deafness	398	516	2	37	38	61	80	138	160
Other	---	803	28	75	75	101	131	193	200
Diseases of the circulatory system	400-468	73,765	194	1,830	3,139	6,129	11,656	20,438	30,379
Diseases of mitral valve	410	1,842	26	173	210	276	353	446	358
Diseases of aortic valve specified as rheumatic	411	648	10	71	66	86	122	147	146
Certain heart diseases specified as rheumatic	416	2,181	28	177	207	305	414	536	514
Arteriosclerotic heart disease, including coronary disease	420	45,714	17	669	1,639	3,476	7,002	12,885	20,026
Chronic endocarditis not specified as rheumatic	421	443	10	30	28	52	67	113	143
Certain types of myocardial degeneration	422	1,492	10	41	42	103	183	402	711

Table 8.--Continued

Diagnostic group and primary diagnosis	International code	Age 1/							
		Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Total--Continued							
Functional disease of heart	433	249	1	10	13	15	28	74	108
Certain and unspecified diseases of heart	434	1,246	15	50	78	132	202	314	455
Hypertensive heart disease with arteriolar nephrosclerosis	442	316	1	15	19	37	58	82	104
Certain and unspecified hypertensive heart disease	443	9,198	7	159	337	707	1,537	2,763	3,688
Essential benign hypertension	444	1,758	2	40	70	133	292	502	719
Essential malignant hypertension	445	206	2	38	18	38	32	38	40
Hypertension with arteriolar nephrosclerosis	446	163	1	15	13	22	24	37	51
Certain hypertensive disease without mention of heart	447	559	1	12	21	42	81	149	253
General arteriosclerosis	450	3,051	3	34	69	189	409	820	1,527
Aortic aneurysm, non-syphilitic, and dissecting aneurysm	451	206	0	1	5	7	22	51	120
Certain other aneurysm, except of heart and aorta	452	323	6	30	39	47	69	58	74
Peripheral vascular disease	453	687	10	42	40	73	112	151	259
Arterial embolism and thrombosis	454	286	0	9	11	43	57	62	104
Certain diseases of arteries	456	505	18	59	39	52	83	126	128
Varicose veins of lower extremities	460	717	2	22	35	68	128	177	285
Phlebitis and thrombophlebitis of lower extremities	463	427	5	26	32	49	93	109	113
Phlebitis and thrombophlebitis of certain sites	464	354	5	24	27	45	60	87	106
Certain diseases of circulatory system	467	529	1	20	34	49	92	150	183
Other	---	665	13	63	47	83	136	159	164
Diseases of the respiratory system	470-529	21,338	38	356	706	1,504	3,342	6,471	8,921
Chronic bronchitis	502	1,504	9	72	94	171	261	399	498
Pneumoconiosis due to silica and silicates	523	722	0	4	13	28	119	260	298
Certain chronic interstitial pneumonia	525	531	3	18	28	41	94	172	175
Bronchiectasis	526	271	6	14	26	26	58	66	75
Certain diseases of lung and pleural cavity	527	966	6	31	57	75	174	273	350
Emphysema	4/ 528	16,998	7	197	462	1,120	2,580	5,208	7,424
Other	---	346	7	20	26	43	56	93	101
Diseases of the digestive system	530-587	6,234	63	402	519	768	1,180	1,572	1,730
Ulcer of stomach	540	304	0	16	16	31	51	74	116
Ulcer of duodenum	541	525	4	20	41	58	84	135	183
Disorders of function of stomach	544	356	1	24	30	49	66	94	92
Certain diseases of stomach and duodenum	545	161	0	6	11	11	35	41	57
Hernia of abdominal cavity without mention of obstruction	560	459	1	9	15	37	73	128	196
Chronic enteritis and ulcerative colitis	572	617	35	91	56	67	93	120	155
Certain diseases of intestines and peritoneum	578	256	3	16	18	28	51	60	80
Cirrhosis of liver	581	2,579	9	126	239	357	558	698	592
Other diseases of liver	583	125	2	14	11	16	24	32	26
Diseases of pancreas	587	240	1	35	39	49	43	31	42
Other	---	612	7	45	43	65	102	159	191
Diseases of the genito-urinary system	590-637	2,268	80	244	204	291	355	505	589
Chronic nephritis	592	523	39	92	66	66	79	99	82

Table 8.--Continued

Diagnostic group and primary diagnosis	International code	Age 1/							
		Total	Under 30	30-39	40-44	45-49	50-54	55 59	60 and over
		Total--Continued							
Nephritis not specified as acute or chronic	593	264	17	46	36	45	22	51	47
Infections of kidney	600	538	8	45	45	62	98	142	138
Certain diseases of kidney and ureter	603	131	2	17	5	19	20	31	37
Other	---	812	14	44	52	99	136	182	285
Diseases of the skin and cellular tissue	690-716	1,098	20	119	134	157	178	238	252
Erythematous conditions	705	257	11	41	42	34	44	47	38
Psoriasis and similar disorders	706	100	2	4	10	20	13	24	27
Certain hypertrophic and atrophic conditions of skin	710	268	4	30	38	52	39	55	50
Chronic ulcer of skin	715	115	2	9	16	11	15	31	31
Other	---	358	1	35	28	40	67	81	106
Diseases of the bones and organs of movement	720-749	34,474	511	3,057	2,989	3,945	5,612	8,121	10,239
Acute arthritis due to pyogenic organisms	720	127	1	4	8	16	17	37	44
Rheumatoid arthritis and allied conditions	722	7,028	58	374	533	872	1,370	1,863	1,958
Osteo-arthritis and allied conditions	723	10,336	14	134	256	549	1,377	3,020	4,986
Certain forms of arthritis	724	424	7	36	32	43	76	100	130
Arthritis, unspecified	725	1,107	4	16	36	68	161	327	495
Muscular rheumatism	726	233	3	23	30	31	43	46	57
Osteomyelitis and periostitis	730	957	38	133	119	165	164	191	147
Osteitis deformans	731	130	0	0	2	5	16	43	64
Certain diseases of bone	733	1,705	42	226	205	230	256	347	399
Displacement of intervertebral disc	735	8,544	236	1,520	1,312	1,397	1,493	1,394	1,192
Affection of sacro-iliac joint	736	198	4	41	28	36	29	35	25
Ankylosis of joint	737	662	23	127	89	124	124	96	79
Certain diseases of joint	738	817	21	152	125	117	129	130	143
Synovitis, bursitis, and tenosynovitis without mention of occupational origin	741	189	0	15	12	16	27	48	71
Certain diseases of muscle, tendon, and fascia	744	752	25	108	88	99	123	148	161
Curvature of spine	745	371	8	33	26	48	54	92	110
Residual deformities of the bones and joints 5/	749	607	20	76	52	88	99	143	129
Other	---	287	7	39	36	41	54	61	49
Congenital malformations	750-759	2,313	107	428	310	364	376	410	318
Congenital cataract and other congenital malformations of nervous system and sense organs	753	502	27	100	70	80	85	75	65
Congenital malformations of circulatory system	754	362	25	89	49	52	64	60	23
Congenital malformations of genito-urinary system	757	214	5	29	26	42	44	46	22
Congenital malformations of bone and joint	758	1,070	46	177	149	165	167	191	175
Certain and unspecified congenital malformations	759	108	2	19	9	19	12	27	20
Other	---	57	2	14	7	6	4	11	13
Alternative classification of accidents, poisonings, and violence	800-999	17,090	1,406	2,835	1,873	2,201	2,533	2,876	3,366
Certain and unqualified skull fractures	803	241	25	47	30	34	34	37	34

Table 8.--Continued

Diagnostic group and primary diagnosis	International code	Age 1/							
		Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Total--Continued							
Multiple fractures involving skull or face with other bones	804	196	26	40	24	32	27	23	24
Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion	805	1,060	52	129	83	113	144	220	319
Fracture and fracture dislocation of vertebral column with spinal cord lesion	806	510	120	148	68	55	42	48	29
Fracture of pelvis	808	269	10	42	32	43	42	36	64
Multiple and ill-defined fractures of trunk	809	655	55	114	71	93	102	98	122
Fracture of humerus	812	212	10	26	22	21	28	44	61
Fracture of radius and ulna	813	223	14	37	29	31	35	26	51
Fracture of neck of femur	820	1,278	34	85	69	95	192	330	473
Certain fractures of femur	821	1,381	136	209	136	173	198	227	302
Fracture of tibia and fibula	823	1,914	148	385	262	278	266	275	300
Fracture of ankle	824	410	24	55	49	54	71	63	94
Fracture of one or more tarsal and metatarsal bones	825	337	10	51	36	57	63	58	62
Certain, multiple, and ill-defined fractures of lower limb	827	474	44	83	56	63	67	85	76
Multiple fractures involving both lower limbs, lower with upper limb, and lower limb with rib and sternum	828	1,698	161	328	209	235	250	258	257
Sprains and strains of sacro-iliac region	846	613	14	92	70	80	112	112	133
Sprains and strains of certain and unspecified parts of back	847	303	4	49	34	30	51	56	79
Concussion	852	260	26	42	27	26	42	38	59
Cerebral laceration and contusion	853	244	50	51	28	37	38	21	19
Certain and unspecified intracranial haemorrhage following injury	855	113	5	10	20	16	17	23	22
Certain head injuries including those of unspecified nature	856	345	46	77	43	50	41	52	36
Internal injuries, unspecified	869	107	15	31	10	15	14	11	11
Traumatic amputation of arm and hand	888	159	13	24	18	30	23	30	21
Traumatic amputation of leg	898	330	37	60	46	56	50	47	34
Burn involving certain and unspecified parts	949	206	26	41	24	25	34	22	34
Spinal cord lesion without evidence of spinal bone injury	958	450	77	101	56	55	60	59	42
Other nerve injury, including nerve injury in several parts	959	110	13	15	5	15	19	20	23
Certain and unspecified injury	996	745	48	103	75	101	129	139	150
Other	---	2,247	163	360	241	288	342	418	435
All others 6/	---	197	6	14	11	31	42	39	54

Table 8.--Worker disability allowances: Number by age, sex, diagnostic group, and primary diagnosis, 1966

[Primary diagnoses relating to 100 or more workers shown separately]

Diagnostic group and primary diagnosis	International code	Age 1/							
		Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Male							
Total	---	206,398	4,793	16,881	15,581	21,680	31,893	49,023	66,547
Infective and parasitic diseases	001-138	9,616	401	1,484	1,203	1,479	1,644	1,846	1,559
Pulmonary tuberculosis	002	7,629	348	1,267	1,032	1,239	1,344	1,348	1,051
Tuberculosis of bones and joints, active or unspecified	012	132	7	27	19	16	14	20	29
Cardiovascular syphilis except aorta	023	109	0	0	3	3	12	36	55
Tabes dorsalis	024	108	0	1	2	5	16	32	52
Certain syphilis of central nervous system 2/	026	205	1	9	9	23	38	54	71
Acute poliomyelitis	080	211	1	31	25	26	31	65	32
Late effects of acute poliomyelitis	081	263	3	24	22	31	55	72	56
Other fungus infections	134	94	1	11	8	18	12	28	16
Certain infective and parasitic diseases	138	106	9	33	15	15	13	15	6
Other	---	759	31	81	68	103	109	176	191
Neoplasms	140-239	20,889	348	1,084	1,329	2,243	3,635	5,400	6,850
Malignant neoplasm of tongue	141	281	1	4	9	44	56	90	77
Malignant neoplasm of floor of mouth	143	131	0	2	7	16	37	36	33
Malignant neoplasm of other parts of mouth unspecified	144	186	0	2	6	21	50	56	51
Malignant neoplasm of oral mesopharynx	145	139	0	3	6	20	30	40	40
Malignant neoplasm of pharynx, unspecified	148	123	0	2	2	13	28	39	39
Malignant neoplasm of oesophagus	150	395	1	8	10	34	100	114	128
Malignant neoplasm of stomach	151	717	2	34	44	68	120	186	263
Malignant neoplasm of large intestine, except rectum	153	1,139	11	46	51	117	181	308	425
Malignant neoplasm of rectum	154	877	5	29	42	67	140	246	348
Malignant neoplasm of biliary passages and of liver	155	114	2	3	10	12	18	28	41
Malignant neoplasm of liver	156	171	2	8	17	18	36	48	42
Malignant neoplasm of pancreas	157	571	2	18	43	64	112	149	183
Malignant neoplasm of larynx	161	873	0	8	33	82	148	250	352
Malignant neoplasm of bronchus and trachea, and of lung specified as primary	162	2,063	2	67	97	229	386	569	713
Malignant neoplasm of lung, unspecified as to whether primary or secondary	163	3,334	6	99	175	362	603	943	1,146
Malignant neoplasm of thoracic organs	165	130	1	8	11	15	20	43	32
Malignant neoplasm of breast	170	66	0	3	3	12	12	20	16
Malignant neoplasm of prostate	177	1,047	0	1	6	34	88	271	647
Malignant neoplasm of testis	178	142	32	41	22	12	10	18	7
Malignant neoplasm of kidney	180	441	1	16	40	51	77	115	141
Malignant neoplasm of bladder and other urinary organs	181	598	2	4	22	52	92	163	263
Malignant melanoma of skin	190	191	11	27	23	30	26	35	39
Malignant neoplasm of skin excluding malignant melanoma	191	238	0	7	12	23	42	73	81
Malignant neoplasm of brain and other parts of nervous system	193	992	40	138	113	162	177	206	156
Malignant neoplasm of thyroid gland	194	49	3	2	4	5	7	9	19
Malignant neoplasm of bone (excluding jaw bone)	196	217	15	19	17	22	39	55	50
Malignant neoplasm of connective tissue	197	159	6	17	23	18	31	25	39
Malignant neoplasm of certain and unspecified sites	199	1,828	22	91	127	214	350	478	546
Lymphosarcoma and reticulosarcoma	200	553	20	42	42	76	104	127	142
Hodgkin's disease	201	514	73	115	80	64	57	62	63
Lymphoma	202	96	3	6	9	12	18	23	25

Table 8.--Continued

Diagnostic group and primary diagnosis	International code	Age 1/							
		Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Male--Continued							
Multiple myeloma	203	457	2	13	24	51	80	127	160
Leukaemia and aleukaemia	204	640	33	49	48	56	99	149	206
Benign neoplasm of brain and other parts of nervous system	223	271	14	45	31	30	43	52	56
Neoplasm of unspecified nature of brain and certain parts of nervous system	237	237	14	31	34	34	44	34	46
Other	---	909	22	76	86	103	174	213	235
Allergic, endocrine system, metabolic, and nutritional diseases	240-289	6,244	99	417	456	672	966	1,572	2,062
Thyrotoxicosis with or without goitre	252	93	2	11	6	9	14	18	33
Myxoedema and cretinism	253	45	1	2	3	6	6	12	15
Diabetes mellitus	260	4,724	80	308	321	495	712	1,203	1,605
Diseases of pituitary gland	272	100	3	10	15	13	15	23	21
Certain avitaminoses and nutritional deficiency states	286	73	2	7	4	8	14	18	20
Obesity, not specified as of endocrine origin	287	548	1	38	53	73	99	132	152
Gout	288	365	0	9	22	30	56	100	148
Certain metabolic diseases	289	146	6	18	16	23	25	33	25
Other	---	150	4	14	16	15	25	33	43
Diseases of the blood and blood-forming organs	290-299	535	10	45	53	50	77	112	188
Certain anaemias	292	148	6	18	15	19	14	33	43
Polycythaemia	294	89	2	3	2	8	22	18	34
Anaemia of unspecified type	293	98	0	1	9	7	16	22	43
Other	---	200	2	23	27	16	25	39	68
Mental, psychoneurotic, and personality disorders	300-329	21,413	1,287	4,252	2,994	3,107	3,100	3,440	3,233
Schizophrenic disorders (dementia praecox)	300	9,364	992	3,061	1,682	1,460	1,048	722	399
Manic-depressive reaction	301	588	14	52	62	86	119	123	132
Involutional melancholia	302	679	0	3	19	54	130	219	254
Paranoia and paranoid states	303	85	2	8	17	17	9	16	16
Presenile psychosis	305	169	0	0	1	15	33	55	65
Psychosis with cerebral arteriosclerosis	306	109	0	0	3	2	8	33	63
Alcoholic psychosis	307	335	3	27	27	51	62	81	84
Psychosis due to any disease or injury of brain 3/	308	223	19	48	42	24	22	38	30
Mental deterioration and certain other psychoses of unspecified etiology	309	877	37	149	117	133	144	148	149
Anxiety reaction without mention of somatic symptoms	310	1,258	24	123	208	269	229	219	186
Hysterical reaction without mention of anxiety reaction	311	403	10	58	63	81	73	68	50
Obsessive-compulsive reaction	313	62	2	14	12	10	6	10	8
Neurotic-depressive reaction	314	1,239	12	98	125	171	237	298	298
Psychoneurosis with somatic symptoms affecting certain systems	317	121	2	14	19	26	19	22	19
Certain psychoneurotic disorders, other, mixed, and unspecified types	318	395	9	51	49	54	63	92	77
Pathological personality	320	188	4	28	27	35	29	33	32
Immature personality	321	159	4	20	27	38	21	27	22
Alcoholism	322	1,020	3	52	91	133	216	272	253
Mental deficiency	325	1,033	54	193	175	154	169	171	117
Chronic brain syndrome	328	2,823	89	222	198	260	426	716	912
Other	---	283	7	31	30	34	37	77	67

Table 8.--Continued

Diagnostic group and primary diagnosis	International code	Age 1/							
		Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Male--Continued							
Diseases of the nervous system and sense organs	330-398	25,097	477	1,789	1,714	2,408	3,860	6,197	8,652
Subarachnoid haemorrhage	330	372	6	40	49	59	59	68	91
Cerebral haemorrhage	331	5,030	8	106	170	337	838	1,427	2,144
Cerebral embolism and thrombosis	332	3,895	14	75	147	294	678	1,106	1,581
Certain vascular lesions affecting central nervous system	334	2,348	11	41	58	109	243	636	1,250
Meningitis, except meningococcal and tuberculous	340	137	6	32	13	24	19	25	18
Encephalitis, myelitis, and encephalomyelitis	343	120	15	14	12	22	15	23	19
Multiple sclerosis	345	1,158	67	271	225	189	174	147	85
Paralysis agitans	350	1,645	1	8	35	114	213	491	783
Cerebral spastic infantile paralysis	351	192	8	48	21	32	29	30	24
Certain types of cerebral paralysis	352	120	10	11	7	14	22	31	25
Epilepsy	353	1,578	92	347	266	255	206	224	188
Certain diseases of the brain	355	1,603	36	132	127	163	289	415	441
Motor neurone disease and muscular atrophy	356	676	8	53	54	96	122	192	151
Certain diseases of the spinal cord including paralysis resulting from spinal cord injuries	357	576	41	98	61	75	97	103	101
Sciatica	363	132	1	20	14	13	20	26	38
Polyneuritis and polyradiculitis	364	164	5	25	17	19	24	34	40
Certain and unspecified forms of neuralgia and neuritis	366	196	1	21	16	27	22	42	67
Certain diseases of peripheral nerves	368	646	12	59	62	98	114	153	148
Certain inflammations of uveal tract	376	175	6	28	17	23	31	40	30
Refractive errors of the eye	380	176	7	18	20	17	34	34	46
Cataract of the eye	385	458	2	18	12	31	64	122	209
Detachment of retina	386	157	3	13	8	13	23	38	59
Glaucoma	387	578	4	24	33	36	94	136	251
Certain diseases of the eye	388	1,089	48	114	97	123	145	232	330
Blindness	389	653	39	65	74	76	100	136	163
Certain inflammatory diseases of the ear	394	69	0	1	5	4	7	15	37
Meniere's disease	395	137	0	6	10	12	19	35	55
Deaf mutism	397	103	1	16	8	20	11	26	21
Deafness	398	348	2	26	26	42	56	85	111
Other	---	566	23	59	50	71	92	125	146
Diseases of the circulatory system	400-468	56,711	136	1,433	2,448	4,660	8,607	15,277	24,150
Diseases of mitral valve	410	1,045	16	104	124	153	177	232	239
Diseases of aortic valve specified as rheumatic	411	500	10	54	48	70	94	110	114
Certain heart diseases specified as rheumatic	416	1,250	18	110	119	174	216	288	325
Arteriosclerotic heart disease, including coronary disease	420	36,956	15	605	1,411	2,844	5,529	10,153	16,399
Chronic endocarditis not specified as rheumatic	421	362	5	24	22	44	54	94	119
Certain types of myocardial degeneration	422	1,196	9	36	34	88	138	305	586
Functional disease of heart	433	173	0	8	10	7	17	44	87
Certain and unspecified diseases of heart	434	958	11	38	58	96	163	249	343
Hypertensive heart disease with arteriolar nephrosclerosis	442	241	1	14	16	24	43	57	86
Certain and unspecified hypertensive heart disease	443	6,310	3	122	243	485	1,016	1,820	2,621

Table 8.--Continued

Diagnostic group and primary diagnosis	International code	Age 1/							
		Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Male--Continued							
Essential benign hypertension	444	1,138	1	26	53	97	189	300	472
Essential malignant hypertension	445	153	2	29	13	30	22	29	28
Hypertension with arteriolar nephrosclerosis	446	116	1	9	9	17	10	27	43
Certain hypertensive disease without mention of heart	447	399	0	8	16	32	55	106	182
General arteriosclerosis	450	2,647	3	28	61	160	339	702	1,354
Aortic aneurysm, non-syphilitic, and dissecting aneurysm	451	188	0	1	3	4	22	45	113
Certain other aneurysm, except of heart and aorta	452	199	4	24	26	24	42	34	45
Peripheral vascular disease	453	572	7	36	32	51	95	126	225
Arterial embolism and thrombosis	454	247	0	6	11	37	47	56	90
Certain diseases of arteries	456	331	9	35	22	34	51	82	98
Varicose veins of lower extremities	460	416	1	15	23	37	64	95	181
Phlebitis and thrombophlebitis of lower extremities	463	255	3	21	18	30	47	61	75
Phlebitis and thrombophlebitis of certain sites	464	213	5	15	21	31	29	47	65
Certain diseases of circulatory system	467	382	1	16	25	34	62	107	137
Other	---	464	11	49	30	57	86	108	123
Diseases of the respiratory system	470-529	18,723	30	282	561	1,229	2,801	5,688	8,132
Chronic bronchitis	502	962	5	48	58	98	147	266	340
Pneumonconiosis due to silica and silicates	523	715	0	4	13	27	117	258	296
Certain chronic interstitial pneumonia	525	424	2	14	24	32	66	133	153
Bronchiectasis	526	169	5	9	16	17	31	46	45
Certain diseases of lung and pleural cavity	527	797	6	21	43	59	141	221	306
Emphysema	4/ 528	15,380	7	169	385	964	2,256	4,690	6,909
Other	---	276	5	17	22	32	43	74	83
Diseases of the digestive system	530-587	4,790	50	316	417	565	888	1,210	1,344
Ulcer of stomach	540	240	0	14	9	18	38	60	101
Ulcer of duodenum	541	429	4	14	35	45	71	107	153
Disorders of function of stomach	544	253	1	16	24	31	47	62	72
Certain diseases of stomach and duodenum	545	132	0	4	10	9	29	33	47
Hernia of abdominal cavity without mention of obstruction	560	333	1	8	10	26	49	90	149
Chronic enteritis and ulcerative colitis	572	393	27	67	39	35	54	82	89
Certain diseases of intestines and peritoneum	578	168	2	12	15	20	29	39	51
Cirrhosis of liver	581	2,165	8	108	206	292	457	590	504
Other diseases of liver	583	88	0	14	8	9	19	19	19
Diseases of pancreas	587	179	0	29	32	34	31	22	31
Other	---	410	7	30	29	46	64	106	128
Diseases of the genito-urinary system	590-637	1,501	71	180	141	181	205	316	407
Chronic nephritis	592	436	38	80	54	54	63	78	69
Nephritis not specified as acute or chronic	593	216	16	42	30	35	16	37	40
Infections of kidney	600	275	4	20	26	31	48	70	76
Certain diseases of kidney and ureter	603	81	2	9	4	12	16	17	21
Other	---	493	11	29	27	49	62	114	201

Table 8.--Continued

Diagnostic group and primary diagnosis	International code	Age 1/							
		Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Male--Continued							
Diseases of the skin and cellular tissue	690-716	670	12	69	80	92	100	147	170
Erythematous conditions	705	126	5	15	20	16	21	25	24
Psoriasis and similar disorders	706	65	2	3	10	15	7	11	17
Certain hypertrophic and atrophic conditions of skin	710	122	2	16	17	22	13	30	22
Chronic ulcer of skin	715	88	2	7	11	11	11	22	24
Other	---	269	1	28	22	28	48	59	83
Diseases of the bones and organs of movement	720-749	24,326	451	2,567	2,300	2,878	3,723	5,320	7,087
Acute arthritis due to pyogenic organisms	720	95	1	3	7	13	14	23	34
Rheumatoid arthritis and allied conditions	722	4,053	30	233	306	511	750	1,041	1,182
Osteo-arthritis and allied conditions	723	7,074	14	108	201	406	898	1,963	3,484
Certain forms of arthritis	724	330	7	30	24	29	61	75	104
Arthritis, unspecified	725	736	4	9	29	37	104	209	344
Muscular rheumatism	726	146	2	12	23	20	23	29	37
Osteomyelitis and periostitis	730	805	38	119	107	140	129	155	117
Osteitis deformans	731	94	0	0	2	3	12	30	47
Certain diseases of bone	733	1,100	39	198	156	167	159	179	202
Displacement of intervertebral disc	735	6,931	220	1,344	1,083	1,114	1,122	1,088	960
Affection of sacro-iliac joint	736	151	4	39	23	29	18	23	15
Ankylosis of joint	737	526	21	115	70	92	91	73	64
Certain diseases of joint	738	646	21	131	104	100	91	96	103
Synovitis, bursitis, and tenosynovitis without mention of occupational origin	741	117	0	15	6	10	14	24	48
Certain diseases of muscle, tendon, and fascia	744	565	20	81	61	73	83	109	138
Curvature of spine	745	220	7	26	19	29	29	42	68
Residual deformities of the bones and joints 5/	749	530	18	68	49	73	88	122	112
Other	---	207	5	36	30	32	37	39	28
Congenital malformations	750-759	1,697	89	341	230	254	254	282	247
Congenital cataract and other congenital malformations of nervous system and sense organs	753	368	23	73	52	62	60	48	50
Congenital malformations of circulatory system	754	245	17	68	35	27	34	44	20
Congenital malformations of genito-urinary system	757	136	4	24	16	25	28	25	14
Congenital malformations of bone and joint	758	823	42	152	118	120	120	135	136
Certain and unspecified congenital malformations	759	80	2	13	4	16	9	21	15
Other	---	45	1	11	5	4	3	9	12
Alternative classification of accidents, poisonings, and violence	800-999	14,049	1,328	2,613	1,648	1,840	2,005	2,190	2,425
Certain and unqualified skull fractures	803	225	22	44	29	31	33	33	33
Multiple fractures involving skull or face with other bones	804	167	22	34	21	26	24	18	22
Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion	805	878	49	119	75	98	127	173	237
Fracture and fracture dislocation of vertebral column with spinal cord lesion	806	472	118	134	64	50	33	44	29

Table 8.--Continued

Diagnostic group and primary diagnosis	International code	Age 1/							
		Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Male--Continued							
Fracture of pelvis	808	224	9	38	24	37	35	32	49
Multiple and ill-defined fractures of trunk	809	542	51	98	61	77	82	84	89
Fracture of humerus	812	171	10	25	19	19	26	28	44
Fracture of radius and ulna	813	180	14	34	25	28	28	22	29
Fracture of neck of femur	820	726	31	77	59	60	110	170	219
Certain fractures of femur	821	1,031	127	189	117	141	132	144	181
Fracture of tibia and fibula	823	1,672	139	361	243	241	227	218	243
Fracture of ankle	824	292	23	49	38	40	46	42	54
Fracture of one or more tarsal and metatarsal bones	825	306	10	48	35	54	54	53	52
Certain, multiple, and ill-defined fractures of lower limb	827	399	43	77	52	50	53	68	56
Multiple fractures involving both lower limbs, lower with upper limb, and lower limb with rib and sternum	828	1,402	157	309	180	198	199	177	182
Sprains and strains of sacro-iliac region	846	506	14	87	54	63	92	89	107
Sprains and strains of certain and unspecified parts of back	847	214	3	42	24	20	31	40	54
Concussion	852	218	22	39	22	20	33	33	49
Cerebral laceration and contusion	853	219	45	47	27	33	30	19	18
Certain and unspecified intracranial haemorrhage following injury	855	93	4	9	16	14	12	19	19
Certain head injuries including those of unspecified nature	856	302	43	65	39	38	37	47	33
Internal injuries, unspecified	869	101	15	29	8	15	13	10	11
Traumatic amputation of arm and hand	888	151	13	23	16	28	22	29	20
Traumatic amputation of leg	898	313	36	60	43	52	46	43	33
Burn involving certain and unspecified parts	949	161	22	36	20	16	26	17	24
Spinal cord lesion without evidence of spinal bone injury	958	403	72	95	50	51	51	47	37
Other nerve injury, including nerve injury in several parts	959	89	11	15	4	10	14	16	19
Certain and unspecified injury	996	658	45	93	64	93	104	128	131
Other	---	1,934	158	337	219	237	285	347	351
All others 6/	---	137	4	9	7	22	28	26	41

Table 8.--Worker disability allowances: Number by age, sex, diagnostic group, and primary diagnosis, 1966

[Primary diagnoses relating to 100 or more workers shown separately]

Diagnostic group and primary diagnosis	International code	Age 1/							
		Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Female							
Total.....	---	67,115	903	4,241	4,763	7,809	12,323	18,033	19,043
Infective and parasitic diseases...	001-138	1,632	91	248	215	249	285	312	232
Pulmonary tuberculosis.....	002	1,014	75	193	155	164	172	145	110
Tuberculosis of bones and joints, active or unspecified.....	012	36	0	5	4	6	6	7	8
Cardiovascular syphilis except aorta....	023	17	0	0	0	0	1	11	5
Tabes dorsalis.....	024	16	0	0	1	0	3	11	1
Certain syphilis of central nervous system 2/.....	026	27	0	1	1	2	5	3	15
Acute poliomyelitis.....	080	117	0	12	17	20	18	28	22
Late effects of acute poliomyelitis.....	081	142	1	8	17	17	34	41	24
Other fungus infections.....	134	8	0	0	1	4	1	1	1
Certain infective and parasitic diseases.....	138	75	7	8	5	13	13	19	10
Other.....	---	180	8	21	14	23	32	46	36
Neoplasms.....	140-239	8,352	64	416	584	1,210	1,700	2,281	2,097
Malignant neoplasm of tongue.....	141	32	0	0	0	4	11	7	10
Malignant neoplasm of floor of mouth....	143	16	0	0	2	4	3	5	2
Malignant neoplasm of other parts of mouth unspecified.....	144	23	0	0	4	2	5	7	5
Malignant neoplasm of oral mesopharynx..	145	14	0	2	1	1	2	5	3
Malignant neoplasm of pharynx, unspecified.....	148	15	0	0	1	2	7	1	4
Malignant neoplasm of oesophagus.....	150	56	0	1	1	6	15	19	14
Malignant neoplasm of stomach.....	151	144	1	4	5	13	28	46	47
Malignant neoplasm of large intestine, except rectum.....	153	528	1	12	27	49	97	168	174
Malignant neoplasm of rectum.....	154	307	1	8	14	42	57	96	89
Malignant neoplasm of biliary passages and of liver.....	155	41	0	3	1	5	4	13	15
Malignant neoplasm of liver.....	156	64	0	1	2	7	14	20	20
Malignant neoplasm of pancreas.....	157	135	0	1	6	15	21	37	55
Malignant neoplasm of larynx.....	161	55	0	0	0	6	16	18	15
Malignant neoplasm of bronchus and trachea, and of lung specified as primary.....	162	143	0	6	13	23	27	39	35
Malignant neoplasm of lung, unspecified as to whether primary or secondary....	163	328	0	8	30	39	76	84	91
Malignant neoplasm of thoracic organs...	165	35	0	1	1	4	8	13	8
Malignant neoplasm of breast.....	170	1,874	4	51	123	292	426	521	457
Malignant neoplasm of cervix uteri.....	171	795	4	77	84	142	156	195	137
Malignant neoplasm of uterus, unspecified.....	174	132	0	4	4	21	19	39	45
Malignant neoplasm of ovary, Fallopian tube, and broad ligament.....	175	477	2	15	36	86	103	129	106
Malignant neoplasm of kidney.....	180	71	0	0	4	2	15	25	25
Malignant neoplasm of bladder and other urinary organs.....	181	69	0	0	6	4	14	20	25
Malignant melanoma of skin.....	190	81	2	11	7	10	10	20	21
Malignant neoplasm of skin excluding malignant melanoma.....	191	72	0	3	4	14	14	19	18
Malignant neoplasm of brain and other parts of nervous system.....	193	228	8	23	25	33	53	40	46
Malignant neoplasm of thyroid gland.....	194	52	0	5	5	6	11	11	14
Malignant neoplasm of bone (excluding jaw bone).....	196	79	2	6	4	18	11	17	21
Malignant neoplasm of connective tissue.....	197	65	0	7	4	9	12	17	16
Malignant neoplasm of certain and unspecified sites.....	199	1,053	5	46	72	156	216	301	257

Table 8.--Continued

Diagnostic group and primary diagnosis	International code	Age 1/							
		Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Female--Continued							
Lymphosarcoma and reticulosarcoma	200	191	5	10	17	24	33	62	40
Hodgkin's disease	201	127	9	31	13	15	15	26	18
Lymphoma	202	40	0	2	1	6	6	12	13
Multiple myeloma	203	168	1	1	10	12	39	59	46
Leukaemia and aleukaemia	204	192	4	10	12	26	35	50	55
Benign neoplasm of brain and other parts of nervous system	223	174	4	24	16	31	36	35	28
Neoplasm of unspecified nature of brain and certain parts of nervous system	237	91	3	11	9	15	14	15	24
Other	---	385	8	32	20	66	71	90	98
Allergic, endocrine system, metabolic, and nutritional diseases	240-289	3,799	34	155	197	407	720	1,150	1,136
Thyrotoxicosis with or without goitre	252	131	0	6	8	21	29	38	29
Myxoedema and cretinism	253	69	2	0	2	8	12	19	26
Diabetes mellitus	260	2,121	22	87	93	202	377	656	684
Diseases of pituitary gland	272	38	4	6	3	3	5	12	5
Certain avitaminoses and nutritional deficiency states	286	54	0	2	3	8	11	13	17
Obesity, not specified as of endocrine origin	287	1,118	1	21	67	123	234	356	316
Gout	288	40	0	0	0	1	4	15	20
Certain metabolic diseases	289	95	0	22	10	17	20	14	12
Other	---	133	5	11	11	24	28	27	27
Diseases of the blood and blood-forming organs	290-299	209	5	10	15	23	41	56	59
Certain anaemias	292	53	5	2	4	4	12	10	16
Polycythaemia	293	42	0	0	5	5	6	11	15
Anaemia of unspecified type	294	20	0	0	0	1	2	11	6
Other	---	94	0	8	6	13	21	24	22
Mental, psychoneurotic, and personality disorders	300-329	9,076	307	1,353	1,084	1,336	1,602	1,942	1,452
Schizophrenic disorders (dementia praecox)	300	3,733	241	975	649	598	546	464	260
Manic-depressive reaction	301	286	3	32	25	36	66	69	55
Involutional melancholia	302	781	0	4	44	86	201	251	195
Paranoia and paranoid states	303	42	0	5	3	6	11	11	6
Presenile psychosis	305	54	0	1	1	2	9	30	11
Psychosis with cerebral arteriosclerosis	306	28	0	0	0	0	3	7	18
Alcoholic psychosis	307	56	0	5	4	14	9	13	11
Psychosis due to any disease or injury of brain 3/	308	52	2	14	4	7	7	13	5
Mental deterioration and certain other psychoses of unspecified etiology	309	424	7	46	41	71	90	93	76
Anxiety reaction without mention of somatic symptoms	310	645	4	45	59	93	124	173	147
Hysterical reaction without mention of anxiety reaction	311	279	2	24	38	56	45	67	47
Obsessive-compulsive reaction	313	53	3	4	7	11	9	11	8
Neurotic-depressive reaction	314	1,053	15	96	94	145	175	294	234
Psychoneurosis with somatic symptoms affecting certain systems	317	114	1	3	6	18	22	41	23
Certain psychoneurotic disorders, other, mixed, and unspecified types	318	273	6	16	20	38	65	77	51
Pathological personality	320	55	3	5	3	14	13	11	6
Immature personality	321	58	4	5	10	8	11	13	7

Table 8.--Continued

Diagnostic group and primary diagnosis	International code	Age 1/							
		Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Female--Continued							
Alcoholism	322	101	0	8	8	14	28	28	15
Mental deficiency	325	209	9	30	29	40	36	34	31
Chronic brain syndrome	328	623	4	26	29	60	106	190	208
Other	---	157	3	9	10	19	26	52	38
Diseases of the nervous system and sense organs	330-398	7,874	148	584	615	915	1,312	2,078	2,222
Subarachnoid haemorrhage	330	167	3	9	19	30	43	38	25
Cerebral haemorrhage	331	1,329	2	33	44	143	234	405	468
Cerebral embolism and thrombosis	332	859	6	24	39	81	141	266	302
Certain vascular lesions affecting central nervous system	334	627	3	14	17	39	76	170	308
Meningitis, except meningococcal and tuberculous	340	43	0	4	3	9	10	11	6
Encephalitis, myelitis, and encephalomyelitis	343	46	0	6	5	8	10	10	7
Multiple sclerosis	345	878	65	205	170	159	149	91	39
Paralysis agitans	350	518	1	3	11	37	73	157	236
Cerebral spastic infantile paralysis	351	59	4	6	12	5	13	15	4
Certain types of cerebral paralysis	352	22	1	2	4	2	6	2	5
Epilepsy	353	445	18	79	66	70	70	88	54
Certain diseases of the brain	355	475	10	39	35	63	83	133	112
Motor neurone disease and muscular atrophy	356	154	1	5	12	19	31	47	39
Certain diseases of the spinal cord including paralysis resulting from spinal cord injuries	357	130	3	13	12	15	28	31	28
Sciatica	363	52	1	4	5	5	10	18	9
Polyneuritis and polyradiculitis	364	51	2	7	7	8	11	11	5
Certain and unspecified forms of neuralgia and neuritis	366	83	2	7	7	13	14	23	17
Certain diseases of peripheral nerves	368	181	0	12	27	36	33	40	33
Certain inflammations of uveal tract	376	68	0	11	8	9	18	16	6
Refractive errors of the eye	380	76	1	2	2	9	11	24	27
Cataract of the eye	385	181	0	0	11	6	25	61	78
Detachment of retina	386	38	2	4	4	2	5	9	12
Glaucoma	387	232	4	4	7	17	39	67	94
Certain diseases of the eye	388	363	3	38	21	34	51	118	98
Blindness	389	194	10	17	20	25	31	47	44
Certain inflammatory diseases of the ear	394	39	0	1	1	5	9	10	14
Meniere's disease	395	116	0	3	4	13	19	42	35
Deaf mutism	397	43	1	5	5	4	7	7	14
Deafness	398	168	0	11	12	19	24	53	49
Other	---	237	5	16	25	30	39	68	54
Diseases of the circulatory system	400-468	17,054	58	397	691	1,469	3,049	5,161	6,229
Diseases of mitral valve	410	797	10	69	86	123	176	214	119
Diseases of aortic valve specified as rheumatic	411	148	0	17	18	16	28	37	32
Certain heart diseases specified as rheumatic	416	931	10	67	88	131	198	248	189
Arteriosclerotic heart disease, including coronary disease	420	8,758	2	64	228	632	1,465	2,732	3,635
Chronic endocarditis not specified as rheumatic	421	81	5	6	6	8	13	19	24
Certain types of myocardial degeneration	422	296	1	5	8	15	45	97	125
Functional disease of heart	433	76	1	2	3	8	11	30	21
Certain and unspecified diseases of heart	434	288	4	12	20	36	39	65	112

Table 8.--Continued

Diagnostic group and primary diagnosis	International code	Age 1/							
		Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Female--Continued							
Hypertensive heart disease with arteriolar nephrosclerosis	442	75	0	1	3	13	15	25	18
Certain and unspecified hypertensive heart disease	443	2,888	4	37	94	222	521	943	1,067
Essential benign hypertension	444	620	1	14	17	36	103	202	247
Essential malignant hypertension	445	53	0	9	5	8	10	9	12
Hypertension with arteriolar nephrosclerosis	446	47	0	6	4	5	14	10	8
Certain hypertensive disease without mention of heart	447	160	1	4	5	10	26	43	71
General arteriosclerosis	450	404	0	6	8	29	70	118	173
Aortic aneurysm, non-syphilitic, and dissecting aneurysm	451	18	0	0	2	3	0	6	7
Certain other aneurysm, except of heart and aorta	452	124	2	6	13	23	27	24	29
Peripheral vascular disease	453	115	3	6	8	22	17	25	34
Arterial embolism and thrombosis	454	39	0	3	0	6	10	6	14
Certain diseases of arteries	456	174	9	24	17	18	32	44	30
Varicose veins of lower extremities	460	301	1	7	12	31	64	82	104
Phlebitis and thrombophlebitis of lower extremities	463	172	2	5	14	19	46	48	38
Phlebitis and thrombophlebitis of certain sites	464	141	0	9	6	14	31	40	41
Certain diseases of circulatory system	467	147	0	4	9	15	30	43	46
Other	---	201	2	14	17	26	58	51	33
Diseases of the respiratory system	470-529	2,615	8	74	145	275	541	783	789
Chronic bronchitis	502	542	4	24	36	73	114	133	158
Pneumoconiosis due to silica and silicates	523	7	0	0	0	1	2	2	2
Certain chronic interstitial pneumonia	525	107	1	4	4	9	28	39	22
Bronchiectasis	526	102	1	5	10	9	27	20	30
Certain diseases of lung and pleural cavity	527	169	0	10	14	16	33	52	44
Emphysema	4/ 528	1,618	0	28	77	156	324	518	515
Other	---	70	2	3	4	11	13	19	18
Diseases of the digestive system	530-587	1,444	13	86	102	203	292	362	386
Ulcer of stomach	540	64	0	2	7	13	13	14	15
Ulcer of duodenum	541	96	0	6	6	13	13	28	30
Disorders of function of stomach	544	103	0	8	6	18	19	32	20
Certain diseases of stomach and duodenum	545	29	0	2	1	2	6	8	10
Hernia of abdominal cavity without mention of obstruction	560	126	0	1	5	11	24	38	47
Chronic enteritis and ulcerative colitis	572	224	8	24	17	32	39	38	66
Certain diseases of intestines and peritoneum	578	88	1	4	3	8	22	21	29
Cirrhosis of liver	581	414	1	18	33	65	101	108	88
Other diseases of liver	583	37	2	0	3	7	5	13	7
Diseases of pancreas	587	61	1	6	7	15	12	9	11
Other	---	202	0	15	14	19	38	53	63
Diseases of the genito-urinary system	590-637	767	9	64	63	110	150	189	182
Chronic nephritis	592	87	1	12	12	12	16	21	13
Nephritis not specified as acute or chronic	593	48	1	4	6	10	6	14	7

Table 8.--Continued

Diagnostic group and primary diagnosis	International code	Age 1/							
		Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Female--Continued							
Infections of kidney	600	263	4	25	19	31	50	72	62
Certain diseases of kidney and ureter	603	50	0	8	1	7	4	14	16
Other	---	319	3	15	25	50	74	68	84
Diseases of the skin and cellular tissue	690-716	428	8	50	54	65	78	91	82
Erythematous conditions	705	131	6	26	22	18	23	22	14
Psoriasis and similar disorders	706	35	0	1	0	5	6	13	10
Certain hypertrophic and atrophic conditions of skin	710	146	2	14	21	30	26	25	28
Chronic ulcer of skin	715	27	0	2	5	0	4	9	7
Other	---	89	0	7	6	12	19	22	23
Diseases of the bones and and organs of movement	720-749	10,148	60	490	689	1,067	1,889	2,801	3,152
Acute arthritis due to pyogenic organisms	720	32	0	1	1	3	3	14	10
Rheumatoid arthritis and allied conditions	722	2,975	28	141	227	361	620	822	776
Osteo-arthritis and allied conditions	723	3,262	0	26	55	143	479	1,057	1,502
Certain forms of arthritis	724	94	0	6	8	14	15	25	26
Arthritis, unspecified	725	371	0	7	7	31	57	118	151
Muscular rheumatism	726	87	1	11	7	11	20	17	20
Osteomyelitis and periostitis	730	152	0	14	12	25	35	36	30
Osteitis deformans	731	36	0	0	0	2	4	13	17
Certain diseases of bone	733	605	3	28	49	63	97	168	197
Displacement of intervertebral disc	735	1,613	16	176	229	283	371	306	232
Affection of sacro-iliac joint	736	47	0	2	5	7	11	12	10
Ankylosis of joint	737	136	2	12	19	32	33	23	15
Certain diseases of joint	738	171	0	21	21	17	38	34	40
Synovitis, bursitis, and tenosynovitis without mention of occupational origin	741	72	0	0	6	6	13	24	23
Certain diseases of muscle, tendon, and fascia	744	187	5	27	27	26	40	39	23
Curvature of spine	745	151	1	7	7	19	25	50	42
Residual deformities of the bones and joints 5/	749	77	2	8	3	15	11	21	17
Other	---	80	2	3	6	9	17	22	21
Congenital malformations	750-759	616	18	87	80	110	122	128	71
Congenital cataract and other congenital malformations of nervous system and sense organs	753	134	4	27	18	18	25	27	15
Congenital malformations of circulatory system	754	117	8	21	14	25	30	16	3
Congenital malformations of genito-urinary system	757	78	1	5	10	17	16	21	8
Congenital malformations of bone and joint	758	247	4	25	31	45	47	56	39
Certain and unspecified congenital malformations	759	28	0	6	5	3	3	6	5
Other	---	12	1	3	2	2	1	2	1
Alternative classification of accidents, poisonings, and violence	800-999	3,041	78	222	225	361	528	686	941
Certain and unqualified skull fractures	803	16	3	3	1	3	1	4	1
Multiple fractures involving skull or face with other bones	804	29	4	6	3	6	3	5	2

Table 8.--Continued

Diagnostic group and primary diagnosis	International code	Age 1/							
		Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Female--Continued							
Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion	805	182	3	10	8	15	17	47	82
Fracture and fracture dislocation of vertebral column with spinal cord lesion	806	38	2	14	4	5	9	4	0
Fracture of pelvis	808	45	1	4	8	6	8	4	14
Multiple and ill-defined fractures of trunk	809	113	4	16	10	16	20	14	33
Fracture of humerus	812	41	0	1	3	2	2	16	17
Fracture of radius and ulna	813	43	0	3	4	3	7	4	22
Fracture of neck of femur	820	552	3	8	10	35	82	160	254
Certain fractures of femur	821	350	9	20	19	32	66	83	121
Fracture of tibia and fibula	823	242	9	24	19	37	39	57	57
Fracture of ankle	824	118	1	6	11	14	25	21	40
Fracture of one or more tarsal and metatarsal bones	825	31	0	3	1	3	9	5	10
Certain, multiple, and ill-defined fractures of lower limb	827	75	1	6	4	13	14	17	20
Multiple fractures involving both lower limbs, lower with upper limb, and lower limb with rib and sternum	828	296	4	19	29	37	51	79	77
Sprains and strains of sacro-iliac region	846	107	0	5	16	17	20	22	27
Sprains and strains of certain and unspecified parts of back	847	89	1	7	10	10	20	19	22
Concussion	852	42	4	3	5	6	9	5	10
Cerebral laceration and contusion	853	25	5	4	1	4	8	2	1
Certain and unspecified intracranial haemorrhage following injury	855	20	1	1	4	2	5	4	3
Certain head injuries including those of unspecified nature	856	43	3	12	4	12	4	5	3
Internal injuries, unspecified	869	6	0	2	2	0	1	1	0
Traumatic amputation of arm and hand	888	8	0	1	2	2	1	1	1
Traumatic amputation of leg	898	17	1	0	3	4	4	4	1
Burn involving certain and unspecified parts	949	45	4	5	4	9	8	5	10
Spinal cord lesion without evidence of spinal bone injury	958	47	5	6	6	4	9	12	5
Other nerve injury, including nerve injury in several parts	959	21	2	0	1	5	5	4	4
Certain and unspecified injury	996	87	3	10	11	8	25	11	19
Other	---	313	5	23	22	51	56	71	85
All others 6/	---	59	2	5	4	9	14	13	12

1/ Age on birthday in 1966.
2/ Other than tabes dorsalis and general paralysis of insane.
3/ Excludes senile psychosis (code 304), presenile psychosis (code 305, psychosis with cerebral arteriosclerosis (code 306), and mental deterioration and certain other psychoses of unspecified etiology (code 309).
4/ Special modification of the international code.
5/ Deformities, such as malunion or nonunion of a fracture, amputation, or shortened extremity, resulting from traumatic conditions.
6/ Diagnoses not included in diagnostic groups shown above.

Table 9.--Worker disability allowances: Number by diagnostic group and age, and percentage distribution by year of onset of disability, 1966

Diagnostic group	Total		Percentage distribution by year of onset of disability				
	Number	Percent	1966	1965	1964	1963	1962 and earlier
Total	273,513	100.0	21.9	54.0	13.8	4.4	5.9
Infective and parastitic diseases	11,248	100.0	24.1	55.0	13.1	3.3	4.5
Under 35	1,204	100.0	26.2	55.6	13.9	2.8	1.3
35-49	4,166	100.0	25.4	54.7	13.0	2.8	4.0
50-59	4,087	100.0	24.0	54.7	12.8	3.6	5.1
60-64	1,644	100.0	21.2	56.8	12.5	3.8	5.8
65 and over	147	100.0	4.8	45.6	26.5	6.1	17.1
Neoplasms	29,241	100.0	28.5	58.9	9.3	2.0	1.3
Under 35	945	100.0	30.2	56.0	9.9	1.5	2.4
35-49	6,333	100.0	28.6	58.1	9.7	2.2	1.3
50-59	13,016	100.0	29.2	59.3	8.4	2.0	1.1
60-64	8,258	100.0	29.1	58.5	9.4	1.7	1.1
65 and over	689	100.0	5.4	64.4	19.3	6.2	4.6
Allergic, endocrine system, metabolic, and nutritional diseases	10,043	100.0	20.8	53.7	14.9	4.9	5.7
Under 35	355	100.0	22.8	54.1	12.4	5.6	5.0
35-49	2,082	100.0	21.1	51.1	16.0	5.3	6.5
50-59	4,408	100.0	21.2	53.8	14.5	5.0	5.5
60-64	2,985	100.0	20.7	55.7	14.1	3.8	5.6
65 and over	213	100.0	6.1	47.9	27.7	12.2	6.0
Mental, psychoneurotic, and personality disorders	30,489	100.0	11.9	45.8	19.3	7.2	15.8
Under 35	4,010	100.0	12.5	46.7	21.3	8.7	10.9
35-49	11,710	100.0	11.1	42.6	19.2	7.4	19.8
50-59	10,084	100.0	11.7	47.9	19.5	6.7	14.1
60-64	4,367	100.0	14.8	49.3	17.4	6.2	12.2
65 and over	318	100.0	2.2	35.2	22.0	11.9	28.6
Disease of the nervous system and sense organs	32,971	100.0	26.0	51.5	11.2	3.9	7.6
Under 35	1,531	100.0	21.4	48.0	15.3	4.9	10.4
35-49	7,119	100.0	23.3	48.6	12.1	4.7	11.3
50-59	13,447	100.0	28.0	52.0	10.3	3.5	6.3
60-64	9,881	100.0	28.0	53.7	10.0	3.2	5.1
65 and over	993	100.0	4.9	48.2	22.0	11.2	13.6
Disease of the circulatory system	73,765	100.0	25.4	56.5	11.3	3.4	3.5
Under 35	698	100.0	25.9	54.7	11.2	4.9	3.2
35-49	10,594	100.0	24.6	56.5	12.1	3.3	3.5
50-59	32,094	100.0	26.3	56.5	11.0	3.1	3.2
60-64	27,922	100.0	26.6	56.8	10.4	3.0	3.1
65 and over	2,457	100.0	3.7	52.8	22.5	10.7	10.3
Disease of the respiratory system	21,338	100.0	22.1	55.9	13.7	4.4	3.9
Under 35	132	100.0	15.9	59.8	15.2	6.8	2.4
35-49	2,472	100.0	20.8	55.4	14.5	5.2	4.1
50-59	9,813	100.0	22.7	57.1	12.8	3.9	3.4
60-64	8,257	100.0	23.4	55.8	13.3	3.8	3.7
65 and over	664	100.0	3.6	42.6	28.6	14.8	10.6
Disease of the digestive system	6,234	100.0	16.4	55.2	18.3	5.1	5.0
Under 35	204	100.0	16.2	54.4	19.6	6.4	3.5
35-49	1,548	100.0	13.8	56.3	19.2	5.4	5.4
50-59	2,752	100.0	16.8	54.4	19.0	4.8	5.2
60-64	1,605	100.0	19.3	56.0	15.6	4.6	4.3
65 and over	125	100.0	4.0	49.6	25.6	12.0	8.8
Disease of the bones and organs of movement	34,474	100.0	17.1	52.6	17.7	6.5	6.1
Under 35	1,613	100.0	15.0	52.9	22.6	6.3	3.0
35-49	8,889	100.0	14.4	50.5	20.2	8.0	6.9
50-59	13,733	100.0	17.7	53.2	17.0	6.1	6.1
60-64	9,574	100.0	20.2	54.4	15.1	5.1	5.2
65 and over	665	100.0	3.3	44.7	24.1	12.9	15.1
Accidents, poisonings, and violence	17,090	100.0	16.4	55.3	18.0	5.5	4.9
Under 35	2,663	100.0	20.8	59.5	14.0	3.6	2.1
35-49	5,652	100.0	15.1	55.4	18.7	5.6	5.1
50-59	5,409	100.0	16.2	53.8	18.2	6.0	5.8
60-64	3,054	100.0	16.4	54.6	18.6	5.2	5.1
65 and over	312	100.0	3.8	47.8	30.1	9.9	8.2
Other	6,620	100.0	21.0	52.2	14.4	4.7	7.8

Table 10.--Worker disability allowances: Fifteen primary diagnoses occurring most often among workers by sex, and percent of total, 1966

Primary diagnosis	International code	Number	Percent	Cumulative percent
Total				
1. Arteriosclerotic heart disease, including coronary disease	420	45,714	16.7	16.7
2. Emphysema	528	16,998	6.2	22.9
3. Schizophrenic disorders (dementia praecox)	300	13,097	4.8	27.7
4. Osteo-arthritis and allied conditions	723	10,336	3.8	31.5
5. Hypertensive heart disease, with clinical type unspecified	443	9,198	3.4	34.8
6. Pulmonary tuberculosis	002	8,643	3.2	38.0
7. Displacement of intervertebral disc	735	8,544	3.1	41.1
8. Rheumatoid arthritis and allied conditions	722	7,028	2.6	43.7
9. Diabetes mellitus	260	6,845	2.5	46.2
10. Cerebral haemorrhage	331	6,358	2.3	48.5
11. Cerebral embolism and thrombosis	332	4,754	1.7	50.2
12. Malignant neoplasm of lung and bronchus, not specified as primary or secondary	163	3,662	1.3	51.5
13. Chronic brain syndrome	328	3,446	1.3	52.8
14. General arteriosclerosis	450	3,051	1.1	53.9
15. Certain vascular lesions affecting central nervous system	334	2,975	1.1	55.0
Male				
1. Arteriosclerotic heart disease, including coronary disease	420	36,956	17.9	17.9
2. Emphysema	528	15,380	7.5	25.4
3. Schizophrenic disorders (dementia praecox)	300	9,364	4.5	29.9
4. Pulmonary tuberculosis	002	7,629	3.7	33.6
5. Osteo-arthritis and allied conditions	723	7,074	3.4	37.0
6. Displacement of intervertebral disc	735	6,931	3.4	40.3
7. Hypertensive heart disease, with clinical type unspecified	443	6,310	3.1	43.4
8. Cerebral haemorrhage	331	5,029	2.4	45.8
9. Diabetes mellitus	260	4,724	2.3	48.1
10. Rheumatoid arthritis and allied conditions	722	4,053	2.0	50.1
11. Cerebral embolism and thrombosis	332	3,895	1.9	51.9
12. Malignant neoplasm of lung and bronchus, not specified as primary or secondary	163	3,334	1.6	53.6
13. Chronic brain syndrome	328	2,823	1.4	54.9
14. General arteriosclerosis	450	2,647	1.3	56.2
15. Certain vascular lesions affecting central nervous system	334	2,348	1.1	57.3
Female				
1. Arteriosclerotic heart disease, including coronary disease	420	8,758	13.0	13.0
2. Schizophrenic disorders (dementia praecox)	300	3,733	5.6	18.6
3. Osteo-arthritis and allied conditions	723	3,262	4.9	23.5
4. Rheumatoid arthritis and allied conditions	722	2,975	4.4	27.9
5. Hypertensive heart disease, with clinical type unspecified	443	2,888	4.3	32.2
6. Diabetes mellitus	260	2,121	3.2	35.4
7. Malignant neoplasm of breast	170	1,874	2.8	38.1
8. Emphysema	528	1,618	2.4	40.6
9. Displacement of intervertebral disc	735	1,613	2.4	43.0
10. Cerebral haemorrhage	331	1,329	2.0	44.9
11. Obesity, not specified as of endocrine origin	287	1,118	1.7	46.6
12. Malignant neoplasm of certain and unspecified sites	199	1,053	1.6	48.2
13. Neurotic-depressive reaction	314	1,053	1.6	49.7
14. Pulmonary tuberculosis	002	1,014	1.5	51.2
15. Certain heart diseases specified as rheumatic	416	931	1.4	52.6

Table 11.--Worker disability allowances: Ten primary diagnoses occurring most often among workers, by age, 1/ and percent of total, 1966

Primary diagnosis	International code	Number	Percent	Cumulative percent
	Under age 40			
Schizophrenic disorders (dementia praecox)	300	5,269	19.6	19.6
Pulmonary tuberculosis	002	1,883	7.0	26.7
Displacement of intervertebral disc	735	1,756	6.5	33.2
Arteriosclerotic heart disease, including coronary disease	420	686	2.6	35.8
Multiple sclerosis	345	608	2.3	38.0
Epilepsy	353	536	2.0	40.0
Fracture of tibia and fibula	823	533	2.0	42.0
Diabetes mellitus	260	497	1.9	43.9
Multiple fractures involving both lower limbs, lower with upper limb, and lower limb with rib and sternum	828	489	1.8	45.7
Rheumatoid arthritis and allied conditions	722	432	1.6	47.3
	Aged 40-49			
Arteriosclerotic heart disease, including coronary disease	420	5,115	10.3	10.3
Schizophrenic disorders (dementia praecox)	300	4,389	8.8	19.1
Displacement of intervertebral disc	735	2,709	5.4	24.5
Pulmonary tuberculosis	002	2,590	5.2	29.7
Emphysema	1/ 528	1,582	3.2	32.9
Rheumatoid arthritis and allied conditions	722	1,405	2.8	35.7
Diabetes mellitus	260	1,111	2.2	37.9
Certain and unspecified hypertensive heart disease	443	1,044	2.1	40.0
Osteo-arthritis and allied conditions	723	805	1.6	41.6
Multiple sclerosis	345	743	1.5	43.1
	Aged 50-54			
Arteriosclerotic heart disease, including coronary disease	420	7,002	15.8	15.8
Emphysema	1/ 528	2,580	5.8	21.7
Schizophrenic disorders (dementia praecox)	300	1,594	3.6	25.3
Certain and unspecified hypertensive heart disease	443	1,537	3.5	28.8
Pulmonary tuberculosis	002	1,516	3.4	32.2
Displacement of intervertebral disc	735	1,493	3.4	35.6
Osteo-arthritis and allied conditions	723	1,377	3.1	38.7
Rheumatoid arthritis and allied conditions	722	1,370	3.1	41.7
Diabetes mellitus	260	1,089	2.5	44.2
Cerebral haemorrhage	331	1,072	2.4	46.7
	Aged 55-59			
Arteriosclerotic heart disease, including coronary disease	420	12,885	19.2	19.2
Emphysema	1/ 528	5,208	7.8	27.0
Osteo-arthritis and allied conditions	723	3,020	4.5	31.5
Certain and unspecified hypertensive heart disease	443	2,763	4.1	35.6
Rheumatoid arthritis and allied conditions	722	1,863	2.8	38.4
Diabetes mellitus	260	1,859	2.8	41.2
Cerebral haemorrhage	331	1,832	2.7	43.9
Pulmonary tuberculosis	002	1,493	2.2	46.1
Displacement of intervertebral disc	735	1,394	2.1	48.2
Cerebral embolism and thrombosis	332	1,372	2.0	50.2
	Aged 60 and over			
Arteriosclerotic heart disease, including coronary disease	420	20,026	23.4	23.4
Emphysema	1/ 528	7,424	8.7	32.1
Osteo-arthritis and allied conditions	723	4,986	5.8	37.9
Certain and unspecified hypertensive heart disease	443	3,688	4.3	42.2
Cerebral haemorrhage	331	2,612	3.1	45.3
Diabetes mellitus	260	2,289	2.7	47.9
Rheumatoid arthritis and allied conditions	722	1,958	2.3	50.2
Cerebral embolism and thrombosis	332	1,883	2.2	52.4
Certain vascular lesions affecting central nervous system	334	1,558	1.8	54.2
General arteriosclerosis	450	1,527	1.8	56.0

1/ Special modification of the international code.

Table 12.--Worker disability allowances: Leading causes of disability by sex, 1957-66

Year	Worker allowances	Arteriosclerotic heart (420)		Emphysema (528)		Schizophrenic disorders (300)		Hypertensive heart (443)		Osteo-arthritis (723)		Pulmonary tuberculosis (002)	
		Number	Percent of total	Number	Percent of total	Number	Percent of total	Number	Percent of total	Number	Percent of total	Number	Percent of total
	Total												
1957....	165,003	29,920	18.1	8,835	5.4	6,439	3.9	10,217	6.2	4,654	2.8	8,618	5.2
1958....	184,476	32,830	17.8	10,905	5.9	11,180	6.1	9,542	5.2	4,187	2.3	11,210	6.1
1959....	178,952	34,172	19.1	11,941	6.7	10,183	5.7	8,704	4.9	5,494	3.1	9,134	5.1
1960....	179,419	35,685	19.9	12,343	6.9	7,745	4.3	8,439	4.7	6,449	3.6	7,456	4.2
1961....	241,060	43,814	18.2	15,271	6.3	14,281	5.9	10,933	4.5	6,748	2.8	10,775	4.5
1962....	286,434	49,023	17.1	17,630	6.2	19,870	6.9	13,578	4.7	9,378	3.3	11,206	3.9
1963....	224,229	41,168	18.4	14,897	6.6	12,712	5.7	10,516	4.7	7,255	3.2	8,009	3.6
1964....	209,475	39,425	18.8	13,780	6.6	11,038	5.3	9,092	4.3	7,223	3.4	5,936	2.8
1965....	267,738	45,529	17.0	16,879	6.3	16,335	6.1	10,667	4.0	9,817	3.7	7,870	2.9
1966....	273,513	45,714	16.7	16,998	6.2	13,097	4.8	9,198	3.4	10,336	3.8	8,643	3.2
	Male												
1957....	134,621	25,666	19.1	8,291	6.2	4,958	3.7	7,459	5.5	3,605	2.7	8,011	6.0
1958....	151,519	28,454	18.8	10,228	6.8	8,558	5.6	7,178	4.7	3,227	2.1	10,409	6.9
1959....	146,898	29,357	20.0	11,196	7.6	7,692	5.2	6,523	4.4	4,283	2.9	8,477	5.8
1960....	147,604	30,805	20.9	11,613	7.9	5,799	3.9	6,445	4.4	5,066	3.4	6,937	4.7
1961....	193,616	37,411	19.3	14,222	7.3	10,824	5.6	8,071	4.2	5,275	2.7	9,803	5.1
1962....	224,519	40,552	18.1	16,254	7.2	15,028	6.7	9,674	4.3	6,919	3.1	10,186	4.5
1963....	174,186	33,682	19.3	13,656	7.8	9,427	5.4	7,473	4.3	5,212	3.0	7,263	4.2
1964....	161,967	32,248	19.9	12,535	7.7	8,202	5.1	6,419	4.0	5,187	3.2	5,327	3.3
1965....	201,094	36,390	18.1	15,161	7.5	11,650	5.8	7,264	3.6	6,720	3.3	7,044	3.5
1966....	206,398	36,956	17.9	15,380	7.5	9,364	4.5	6,310	3.1	7,074	3.4	7,629	3.7
	Female												
1957....	30,382	4,254	14.0	544	1.8	1,481	4.9	2,758	9.1	1,049	3.5	607	2.0
1958....	32,957	4,376	13.3	677	2.1	2,622	8.0	2,364	7.2	960	2.9	801	2.4
1959....	32,054	4,815	15.0	745	2.3	2,491	7.8	2,181	6.8	1,211	3.8	657	2.0
1960....	31,815	4,880	15.3	730	2.3	1,946	6.1	1,994	6.3	1,383	4.3	519	1.6
1961....	47,444	6,403	13.5	1,049	2.2	3,457	7.3	2,862	6.0	1,473	3.1	972	2.0
1962....	61,915	8,471	13.7	1,376	2.2	4,842	7.8	3,904	6.3	2,459	4.0	1,020	1.6
1963....	50,043	7,486	15.0	1,241	2.5	3,285	6.6	3,043	6.1	2,043	4.1	746	1.5
1964....	47,508	7,177	15.1	1,245	2.6	2,836	6.0	2,673	5.6	2,036	4.3	609	1.3
1965....	66,644	9,139	13.7	1,718	2.6	4,685	7.0	3,403	5.1	3,097	4.6	826	1.2
1966....	67,115	8,758	13.0	1,618	2.4	3,733	5.6	2,888	4.3	3,262	4.9	1,014	1.5

Table 13.--Worker disability allowances: Number and percentage distribution by diagnostic group and mobility status, 1966

Diagnostic group	Total		Institutionalized 1/		Hospitalized 2/		Housebound		Ambulatory outside the home			
									With help		By self	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total.....	273,513	100.0	22,725	100.0	12,621	100.0	17,782	100.0	46,673	100.0	173,712	100.0
Infective and parasitic diseases...	11,248	4.1	5,833	25.7	865	6.9	355	2.0	706	1.5	3,489	2.0
Neoplasms.....	29,241	10.7	1,544	6.8	3,568	28.3	4,857	27.3	4,328	9.3	14,944	8.6
Allergic, endocrine system, metabolic, and nutritional diseases..	10,043	3.7	241	1.1	383	3.0	604	3.4	2,302	4.9	6,513	3.7
Diseases of the blood and blood-forming organs.....	744	.3	23	.1	36	.3	36	.2	114	.2	535	.3
Mental, psychoneurotic, and personality disorders.....	30,489	11.1	10,100	44.4	697	5.5	715	4.0	2,939	6.3	16,038	9.2
Diseases of the nervous system and sense organs.....	32,971	12.1	1,562	6.9	1,618	12.8	3,149	17.7	9,960	21.3	16,682	9.6
Diseases of the circulatory system.	73,765	27.0	1,130	5.0	2,059	16.3	3,761	21.2	8,780	18.8	58,035	33.4
Diseases of the respiratory system.	21,338	7.8	438	1.9	440	3.5	615	3.5	1,390	3.0	18,455	10.6
Diseases of the digestive system...	6,234	2.3	311	1.4	466	3.7	441	2.5	748	1.6	4,268	2.5
Diseases of the genito-urinary system.....	2,268	.8	76	.3	148	1.2	155	.9	282	.6	1,607	.9
Diseases of the skin and cellular tissue.....	1,098	.4	32	.1	58	.5	76	.4	172	.4	760	.4
Diseases of the bones and organs of movement.....	34,474	12.6	518	2.3	877	6.9	1,428	8.0	7,846	16.8	23,805	13.7
Congenital malformations.....	2,313	.8	52	.2	67	.5	93	.5	547	1.2	1,554	.9
Accidents, poisonings, and violence	17,090	6.2	858	3.8	1,333	10.6	1,478	8.3	6,532	14.0	6,889	4.0
Other 3/.....	197	.1	7	4/	6	4/	19	.1	27	.1	138	.1

1/ Disabled person was confined to an institution i.e. mental, tuberculosis, or chronic disease hospital, soldier's home, etc.
2/ Disabled person was a patient in a general hospital.
3/ Diagnoses not included in diagnostic groups shown above.
4/ Less than .05 percent.

Table 14.--Worker disability allowances: Number by education and age, 1966

[Based partly on 50 percent sample]

Highest grade of school completed	Total	Under 30	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
	Number								
Total.....	273,513	5,696	8,247	12,875	20,344	29,489	44,216	67,056	85,590
No schooling.....	6,019	39	92	150	331	533	838	1,595	2,441
4th grade or less..	26,330	77	406	821	1,507	2,638	4,231	7,350	9,300
5-7.....	48,051	430	885	1,844	2,804	4,555	7,839	12,804	16,890
8.....	54,691	449	895	1,828	3,093	4,935	8,458	14,448	20,585
9-11.....	52,395	1,415	1,970	2,912	4,995	6,268	8,960	12,289	13,586
12.....	43,516	2,077	2,349	2,910	4,136	5,932	7,486	8,859	9,767
College 1 or more years..	20,102	589	883	1,222	1,735	2,076	2,843	4,591	6,163
Unknown.....	22,409	620	767	1,188	1,743	2,552	3,561	5,120	6,858
	Percent								
Total.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No schooling.....	2.2	0.7	1.1	1.2	1.6	1.8	1.9	2.4	2.9
4th grade or less..	9.6	1.4	4.9	6.4	7.4	8.9	9.6	11.0	10.9
5-7.....	17.6	7.5	10.7	14.3	13.8	15.4	17.7	19.1	19.7
8.....	20.0	7.9	10.9	14.2	15.2	16.7	19.1	21.5	24.1
9-11.....	19.2	24.8	23.9	22.6	24.6	21.3	20.3	18.3	15.9
12.....	15.9	36.5	28.5	22.6	20.3	20.1	16.9	13.2	11.4
College 1 or more years..	7.3	10.3	10.7	9.5	8.5	7.0	6.4	6.8	7.2
Unknown.....	8.2	10.9	9.3	9.2	8.6	8.7	8.1	7.6	8.0

Table 15.--Worker disability allowances: Number and percentage distribution by education and sex, 1966

[Based partly on 50 percent sample]

Highest grade of school completed	Total		Male		Female	
	Number	Percent	Number	Percent	Number	Percent
Total.....	273,513	100.0	206,398	100.0	67,115	100.0
No schooling.....	6,019	2.2	5,351	2.6	668	1.0
4th grade or less...	26,330	9.6	22,505	10.9	3,825	5.7
5-7.....	48,051	17.6	38,521	18.7	9,530	14.2
8.....	54,691	20.0	42,302	20.5	12,389	18.5
9-11.....	52,395	19.2	37,733	18.3	14,662	21.8
12.....	43,516	15.9	29,486	14.3	14,030	20.9
College						
1 or more years...	20,102	7.3	13,592	6.6	6,510	9.7
Unknown.....	22,409	8.2	16,908	8.2	5,501	8.2

Table 16.--Worker disability allowances: Number and percentage distribution of workers with impaired vision 1/ by age on birthday in year of onset of disability, sex, and category of visual impairment, 1966

Category of visual impairment	Age on birthday in year of onset of disability									
	Total		Under 35		35-49		50-59		60-65	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
	Total									
Total.....	5,194	100.0	838	100.0	1,360	100.0	2,008	100.0	988	100.0
Statutory blindness 2/...	2,059	39.6	549	65.5	573	42.1	680	33.9	257	26.0
Industrial blindness 3/..	2,490	47.9	258	30.8	672	49.4	1,018	50.7	542	54.9
Defective vision 4/.....	645	12.4	31	3.7	115	8.5	310	15.4	189	19.1
	Male									
Total.....	3,792	100.0	633	100.0	1,031	100.0	1,379	100.0	749	100.0
Statutory blindness 2/...	1,549	40.8	419	66.2	447	43.4	479	34.7	204	27.2
Industrial blindness 3/..	1,787	47.1	191	30.2	499	48.4	695	50.4	402	53.7
Defective vision 4/.....	456	12.0	23	3.6	85	8.2	205	14.9	143	19.1
	Female									
Total.....	1,402	100.0	205	100.0	329	100.0	629	100.0	239	100.0
Statutory blindness 2/...	510	36.4	130	63.4	126	38.3	201	32.0	53	22.2
Industrial blindness 3/..	703	50.1	67	32.7	173	52.6	323	51.4	140	58.6
Defective vision 4/.....	189	13.5	8	3.9	30	9.1	105	16.7	46	19.2

1/ The basis for allowing a period of disability was not necessarily the worker's visual impairment, except for workers who were statutorily blind.

2/ Central visual acuity of 5/200 or less, or concentric contraction of visual field to 5 degrees or less, in the better eye with the use of correcting lens.

3/ Central visual acuity better than 5/200 but not greater than 20/200 in the better eye with the use of correcting lens.

4/ Central visual acuity better than 20/200 but not greater than 20/60 in the better eye with the use of correcting lens.

Table 17.--Worker disability allowances: Number and percentage distribution of workers with impaired hearing 1/, by age on birthday in year of onset of disability, sex, and category of auditory impairment, 1966

Category of auditory impairment	Age on birthday in year of onset of disability									
	Total		Under 35		35-49		50-59		60-65	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
	Total									
Total.....	614	100.0	47	100.0	194	100.0	255	100.0	118	100.0
Total deafness 2/....	481	78.3	42	89.4	161	83.0	192	75.3	86	72.9
Partial deafness.....	133	21.7	5	10.6	33	17.0	63	24.7	32	27.1
	Male									
Total.....	418	100.0	30	100.0	137	100.0	167	100.0	84	100.0
Total deafness 2/....	335	80.1	27	90.0	120	87.6	128	76.6	60	71.4
Partial deafness.....	83	19.9	3	10.0	17	12.4	39	23.4	24	28.6
	Female									
Total.....	196	100.0	17	100.0	57	100.0	88	100.0	34	100.0
Total deafness 2/....	146	74.5	15	88.2	41	71.9	64	72.7	26	76.5
Partial deafness.....	50	25.5	2	11.8	16	28.1	24	27.3	8	23.5

1/ The basis for allowing a period of disability was not necessarily the worker's auditory impairment.
2/ Absence of air and bone conduction in both ears, or auditory perception of not more than 1 pure tone at high volume, not improvable by hearing aid.

Table 18.--Worker disability allowances: Number by diagnostic group and State, 1966

State	Diagnostic group											
	Total	Infective and parasitic diseases	Neoplasms	Allergic, endocrine system, metabolic, and nutritional diseases	Mental, psychoneurotic, and personality disorders	Diseases of the nervous system and sense organs	Diseases of the circulatory system	Diseases of the respiratory system	Diseases of the digestive system	Diseases of the bones and organs of movement	Accidents, poisonings, and violence	Other
Total.....	273,513	11,248	29,241	10,043	30,489	32,971	73,765	21,338	6,234	34,474	17,090	6,620
Alabama.....	5,958	310	579	185	687	668	1,655	463	109	752	378	172
Alaska.....	167	4	20	3	15	26	39	14	5	27	11	3
Arizona.....	2,247	92	198	73	170	240	496	292	66	387	180	53
Arkansas.....	3,850	137	362	120	323	373	1,182	341	83	566	272	91
California.....	29,365	996	2,919	1,056	3,202	3,350	6,967	2,216	803	4,973	2,113	770
Colorado.....	2,062	57	200	66	256	232	406	210	58	347	182	48
Connecticut.....	2,961	128	427	98	395	365	766	168	86	317	159	52
Delaware.....	688	37	88	26	40	101	195	46	18	80	45	12
Dist. of Columbia.	989	44	101	67	113	131	262	48	33	84	75	31
Florida.....	8,689	417	984	351	999	1,082	2,318	623	185	983	499	243
Georgia.....	7,273	268	682	275	803	886	2,099	516	146	929	438	231
Hawaii.....	704	45	82	23	96	115	147	29	22	89	40	16
Idaho.....	928	18	78	24	55	96	234	114	19	159	104	27
Illinois.....	13,339	787	1,488	610	1,456	1,728	3,556	1,001	325	1,346	741	301
Indiana.....	5,527	227	694	218	560	694	1,462	517	114	598	309	134
Iowa.....	3,236	77	399	134	364	446	784	311	76	377	189	79
Kansas.....	2,440	70	298	82	318	304	591	218	44	315	134	66
Kentucky.....	4,906	219	500	129	578	515	1,370	488	94	598	304	111
Louisiana.....	5,959	302	465	173	559	669	1,790	349	147	872	472	161
Maine.....	1,196	31	140	29	129	149	342	97	32	144	75	28
Maryland.....	4,044	379	494	154	374	498	1,115	273	98	309	246	104
Massachusetts.....	6,034	214	738	265	735	770	1,467	379	148	823	369	126
Michigan.....	10,901	503	1,137	436	1,278	1,427	2,920	820	252	1,358	504	266
Minnesota.....	3,579	78	406	124	430	517	889	254	57	522	208	94
Mississippi.....	3,999	180	379	137	383	434	1,146	247	97	613	276	107
Missouri.....	6,348	252	659	272	752	806	1,622	667	144	675	372	127
Montana.....	893	19	80	21	61	112	216	86	11	159	96	32
Nebraska.....	1,674	45	217	79	168	241	443	116	53	171	102	39
Nevada.....	451	18	51	16	31	49	100	43	18	56	47	22
New Hampshire.....	738	13	102	28	82	112	182	49	24	88	43	15
New Jersey.....	8,883	396	1,000	362	1,080	1,060	2,812	520	229	879	354	191
New Mexico.....	1,249	36	117	48	101	112	237	104	22	304	127	41
New York.....	27,992	1,030	3,282	1,090	3,678	3,522	8,003	1,660	726	2,910	1,525	566
North Carolina....	7,262	302	702	263	701	907	2,387	481	134	841	352	192
North Dakota.....	698	13	83	31	77	83	175	47	17	88	63	21
Ohio.....	12,419	460	1,339	423	1,397	1,579	3,370	927	259	1,562	793	310
Oklahoma.....	4,348	127	431	141	551	400	1,129	377	94	711	271	121
Oregon.....	2,958	51	325	75	229	374	618	273	51	541	340	81
Pennsylvania.....	16,528	656	1,771	693	1,637	1,811	5,154	1,757	314	1,640	799	296
Rhode Island.....	1,217	42	146	48	119	158	337	62	27	158	84	36
South Carolina....	4,260	168	406	139	422	455	1,486	281	81	464	249	109
South Dakota.....	739	14	88	29	98	102	150	71	7	117	44	19
Tennessee.....	5,608	288	632	145	541	731	1,484	475	125	660	376	151
Texas.....	14,025	753	1,562	518	1,520	1,676	3,688	996	283	1,703	1,011	315
Utah.....	900	17	71	38	105	114	201	86	23	161	60	24
Vermont.....	568	8	71	19	63	58	146	62	16	74	34	17
Virginia.....	6,098	290	572	180	700	727	1,797	499	100	681	388	164
Washington.....	3,853	111	427	128	328	482	798	328	73	682	408	88
West Virginia.....	4,087	120	304	104	474	311	953	808	84	519	334	76
Wisconsin.....	5,078	131	683	204	565	701	1,365	345	103	582	283	116
Wyoming.....	367	6	27	11	46	53	85	35	7	52	32	13
Puerto Rico.....	2,861	245	193	66	610	365	521	129	84	380	168	100
Abroad.....	370	17	42	14	35	54	108	25	8	43	12	12

Table 19.--Worker disability allowances: Percentage distribution by diagnostic group and State, 1966

State	Number of workers	Percentage distribution by diagnostic group											
		Total	Infective and parasitic diseases	Neoplasms	Allergic, endocrine system, metabolic, and nutritional diseases	Mental, psychoneurotic, and personality disorders	Diseases of the nervous system and sense organs	Diseases of the circulatory system	Diseases of the respiratory system	Diseases of the digestive system	Diseases of the bones and organs of movement	Accidents, poisonings, and violence	Other
Total.....	273,513	100.0	4.1	10.7	3.7	11.1	12.1	27.0	7.8	2.3	12.6	6.2	2.4
Alabama.....	5,958	100.0	5.2	9.7	3.1	11.5	11.2	27.8	7.8	1.8	12.6	6.3	2.9
Alaska.....	167	100.0	2.4	12.0	1.8	9.0	15.6	23.4	8.4	3.0	16.2	6.6	1.8
Arizona.....	2,247	100.0	4.1	8.8	3.2	7.6	10.7	22.1	13.0	2.9	17.2	8.0	2.4
Arkansas.....	3,850	100.0	3.6	9.4	3.1	8.4	9.7	30.7	8.9	2.2	14.7	7.1	2.4
California.....	29,365	100.0	3.4	9.9	3.6	10.9	11.4	23.7	7.5	2.7	16.9	7.2	2.6
Colorado.....	2,062	100.0	2.8	9.7	3.2	12.4	11.3	19.7	10.2	2.8	16.8	8.8	2.3
Connecticut.....	2,961	100.0	4.3	14.4	3.3	13.3	12.3	25.9	5.7	2.9	10.7	5.4	1.8
Delaware.....	688	100.0	5.4	12.8	3.8	5.8	14.7	28.3	6.7	2.6	11.6	6.5	1.7
Dist. of Columbia.	989	100.0	4.4	10.2	6.8	11.4	13.2	26.5	4.9	3.3	8.5	7.6	3.1
Florida.....	8,689	100.0	4.8	11.3	4.0	11.5	12.5	26.7	7.2	2.1	11.4	5.7	2.8
Georgia.....	7,273	100.0	3.7	9.4	3.8	11.0	12.2	28.9	7.1	2.0	12.8	6.0	3.2
Hawaii.....	704	100.0	6.4	11.6	3.3	13.6	16.3	20.9	4.1	3.1	12.6	5.7	2.3
Idaho.....	928	100.0	1.9	8.4	2.6	5.9	10.3	25.2	12.3	2.0	17.1	11.2	2.9
Illinois.....	13,339	100.0	5.9	11.2	4.6	10.9	13.0	26.7	7.5	2.4	10.1	5.6	2.3
Indiana.....	5,527	100.0	4.1	12.6	3.9	10.1	12.6	26.5	9.4	2.1	10.8	5.6	2.4
Iowa.....	3,236	100.0	2.4	12.3	4.1	11.2	13.8	24.2	9.6	2.3	11.7	5.8	2.4
Kansas.....	2,440	100.0	2.9	12.2	3.4	13.0	12.5	24.2	8.9	1.8	12.9	5.5	2.7
Kentucky.....	4,906	100.0	4.5	10.2	2.6	11.8	10.5	27.9	9.9	1.9	12.2	6.2	2.3
Louisiana.....	5,959	100.0	5.1	7.8	2.9	9.4	11.2	30.0	5.9	2.5	14.6	7.9	2.7
Maine.....	1,196	100.0	2.6	11.7	2.4	10.8	12.5	28.6	8.1	2.7	12.0	6.3	2.4
Maryland.....	4,044	100.0	9.4	12.2	3.8	9.2	12.3	27.6	6.8	2.4	7.6	6.1	2.6
Massachusetts.....	6,034	100.0	3.5	12.2	4.4	12.2	12.8	24.3	6.3	2.5	13.6	6.1	2.1
Michigan.....	10,901	100.0	4.6	10.4	4.0	11.7	13.1	26.8	7.5	2.3	12.5	4.6	2.4
Minnesota.....	3,579	100.0	2.2	11.3	3.5	12.0	14.4	24.8	7.1	1.6	14.6	5.8	2.6
Mississippi.....	3,999	100.0	4.5	9.5	3.4	9.6	10.9	28.7	6.2	2.4	15.3	6.9	2.7
Missouri.....	6,348	100.0	4.0	10.4	4.3	11.8	12.7	25.6	10.5	2.3	10.6	5.9	2.0
Montana.....	893	100.0	2.1	9.0	2.4	6.8	12.5	24.2	9.6	1.2	17.8	10.8	3.6
Nebraska.....	1,674	100.0	2.7	13.0	4.7	10.0	14.4	26.5	6.9	3.2	10.2	6.1	2.3
Nevada.....	451	100.0	4.0	11.3	3.5	6.9	10.9	22.2	9.5	4.0	12.4	10.4	4.9
New Hampshire.....	738	100.0	1.8	13.8	3.8	11.1	15.2	24.7	6.6	3.3	11.9	5.8	2.0
New Jersey.....	8,883	100.0	4.5	11.3	4.1	12.2	11.9	31.7	5.9	2.6	9.9	4.0	2.2
New Mexico.....	1,249	100.0	2.9	9.4	3.8	8.0	9.0	19.0	8.3	1.8	24.4	10.2	3.3
New York.....	27,992	100.0	3.7	11.7	3.9	13.1	12.6	28.6	5.9	2.6	10.4	5.4	2.0
North Carolina....	7,262	100.0	4.2	9.7	3.6	9.7	12.5	32.9	6.6	1.8	11.6	4.8	2.6
North Dakota.....	698	100.0	1.9	11.9	4.4	11.0	11.9	25.1	6.7	2.4	12.6	9.0	3.0
Ohio.....	12,419	100.0	3.7	10.8	3.4	11.2	12.7	27.1	7.5	2.1	12.6	6.4	2.5
Oklahoma.....	4,348	100.0	2.9	9.9	3.2	12.7	9.2	26.0	8.6	2.2	16.4	6.2	2.8
Oregon.....	2,958	100.0	1.7	11.0	2.5	7.7	12.6	20.9	9.2	1.7	18.3	11.5	2.7
Pennsylvania.....	16,528	100.0	4.0	10.7	4.2	9.9	11.0	31.2	10.6	1.9	9.9	4.8	1.8
Rhode Island.....	1,217	100.0	3.5	12.0	3.9	9.8	13.0	27.7	5.1	2.2	13.0	6.9	3.0
South Carolina....	4,260	100.0	3.9	9.5	3.3	9.9	10.6	34.9	6.6	1.9	10.9	5.8	2.6
South Dakota.....	739	100.0	1.9	11.9	3.9	13.3	13.8	20.3	9.6	.9	15.8	6.0	2.6
Tennessee.....	5,608	100.0	5.1	11.3	2.6	9.6	13.0	26.5	8.5	2.2	11.8	6.7	2.7
Texas.....	14,025	100.0	5.4	11.1	3.7	10.8	12.0	26.3	7.1	2.0	12.1	7.2	2.2
Utah.....	900	100.0	1.9	7.9	4.2	11.7	12.7	22.3	9.6	2.6	17.9	6.7	2.7
Vermont.....	568	100.0	1.4	12.5	3.3	11.1	10.2	25.7	10.9	2.8	13.0	6.0	3.0
Virginia.....	6,098	100.0	4.8	9.4	3.0	11.5	11.9	29.5	8.2	1.6	11.2	6.4	2.7
Washington.....	3,853	100.0	2.9	11.1	3.3	8.5	12.5	20.7	8.5	1.9	17.7	10.6	2.3
West Virginia.....	4,087	100.0	2.9	7.4	2.5	11.6	7.6	23.3	19.8	2.1	12.7	8.2	1.9
Wisconsin.....	5,078	100.0	2.6	13.5	4.0	11.1	13.8	26.9	6.8	2.0	11.5	5.6	2.3
Wyoming.....	367	100.0	1.6	7.4	3.0	12.5	14.4	23.2	9.5	1.9	14.2	8.7	3.5
Puerto Rico.....	2,861	100.0	8.6	6.7	2.3	21.3	12.8	18.2	4.5	2.9	13.3	5.9	3.5
Abroad.....	370	100.0	4.6	11.4	3.8	9.5	14.6	29.2	6.8	2.2	11.6	3.2	3.2

Table 20.--Worker disability allowances: Ten primary diagnoses occurring most often among workers by State, 1966

State of residence	Primary diagnosis and international code									
	Arterio-sclerotic heart disease, including coronary disease (420)	Emphy-sema (528)	Schizo-phrenic disorders (dementia praecox) (300)	Osteo-arthri-tis and allied condi-tions (723)	Hyper-tensive heart disease with clinical type unspeci-fied (443)	Pulmo-nary tubercu-losis (002)	Dis-place-ment of inter-verte-bral disc (735)	Rheuma-toid arthri-tis and allied condi-tions (722)	Dia-betes mel-litus (260)	Cere-bral haemor-rhage (331)
Total.....	45,714	16,998	13,097	10,336	9,198	8,643	8,544	7,028	6,845	6,359
Alabama.....	790	363	313	280	503	262	155	165	106	43
Alaska.....	24	12	8	10	2	4	4	7	2	4
Arizona.....	323	234	58	87	33	65	106	129	40	42
Arkansas.....	773	289	127	126	160	112	195	123	80	85
California.....	4,326	1,812	1,362	1,376	636	690	1,612	734	679	540
Colorado.....	233	161	105	92	22	34	94	68	44	33
Connecticut.....	512	134	167	105	53	108	84	64	75	19
Delaware.....	90	31	15	21	31	31	17	23	21	27
Dist. of Columbia.	114	30	46	30	58	31	15	12	44	37
Florida.....	1,395	501	414	276	313	334	269	199	235	237
Georgia.....	1,056	388	316	242	389	206	206	196	168	195
Hawaii.....	79	18	59	10	33	34	31	17	17	46
Idaho.....	152	110	21	47	17	7	51	37	10	23
Illinois.....	2,129	796	711	430	408	667	192	324	379	371
Indiana.....	1,000	427	275	159	113	180	129	135	146	153
Iowa.....	546	278	166	121	52	40	89	79	105	150
Kansas.....	370	193	151	102	63	53	73	67	52	64
Kentucky.....	893	358	149	143	155	174	172	123	81	40
Louisiana.....	948	251	225	224	404	213	271	96	116	168
Maine.....	235	91	53	42	23	14	18	45	20	52
Maryland.....	494	210	163	91	250	337	58	78	114	109
Massachusetts.....	956	304	307	170	75	163	311	153	185	39
Michigan.....	1,810	668	638	419	228	395	237	267	300	315
Minnesota.....	604	205	175	150	58	43	124	121	97	184
Mississippi.....	542	193	126	175	297	143	198	98	87	91
Missouri.....	1,059	536	282	192	165	188	127	166	166	171
Montana.....	142	65	24	39	5	8	42	27	14	17
Nebraska.....	273	98	84	55	35	29	23	41	53	63
Nevada.....	59	32	13	11	5	14	10	17	10	6
New Hampshire.....	118	43	32	20	11	7	30	20	19	36
New Jersey.....	1,720	408	511	248	341	328	158	213	257	250
New Mexico.....	138	79	32	125	23	22	77	50	34	9
New York.....	5,431	1,342	1,867	1,081	815	798	558	612	792	698
North Carolina....	1,316	406	233	244	498	236	151	272	184	220
North Dakota.....	136	31	38	28	10	7	19	15	19	20
Ohio.....	2,131	784	562	488	435	337	452	300	315	211
Oklahoma.....	801	336	178	233	106	93	219	112	90	37
Oregon.....	368	184	66	118	27	31	155	99	57	59
Pennsylvania.....	3,480	1,200	761	531	553	478	299	405	521	396
Rhode Island.....	220	48	43	26	29	37	65	33	35	30
South Carolina....	801	226	147	147	401	128	99	131	84	139
South Dakota.....	91	63	35	46	10	4	13	27	22	20
Tennessee.....	950	380	211	154	191	226	140	204	99	159
Texas.....	2,401	842	626	524	407	613	487	306	349	271
Utah.....	115	67	47	41	8	7	47	37	22	18
Vermont.....	99	53	25	22	11	5	18	20	11	10
Virginia.....	1,013	401	215	219	370	225	108	188	134	174
Washington.....	542	276	143	214	74	89	220	90	92	23
West Virginia.....	562	635	104	202	110	84	121	80	64	61
Wisconsin.....	950	283	258	219	88	75	97	147	144	129
Wyoming.....	47	32	27	12	4	1	16	10	7	7
Puerto Rico.....	293	78	364	154	79	221	79	39	40	49
Abroad.....	20	4	6	3	3	9	1	3	5	6
Unknown.....	44	9	13	12	8	3	2	4	3	3

Table 21.--Worker disability allowances: Number by major occupational groups and age, 1966

Major occupational groups	Total	Under 30	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
Total.....	273,513	5,696	8,247	12,875	20,344	29,489	44,216	67,056	85,590
Professional and managerial.....	26,756	365	619	972	1,532	2,541	3,880	6,695	10,152
Professional.....	8,159	149	288	407	521	818	1,128	1,969	2,879
Semiprofessional.....	2,567	101	141	178	217	353	368	491	718
Managerial.....	16,030	115	190	387	794	1,370	2,384	4,235	6,555
Clerical and sales.....	32,532	870	1,168	1,631	2,522	3,459	5,173	7,769	9,940
Clerical.....	20,285	690	907	1,180	1,734	2,217	3,144	4,613	5,800
Sales.....	12,247	180	261	451	788	1,242	2,029	3,156	4,140
Service.....	37,314	791	910	1,525	2,524	3,933	6,202	9,658	11,771
Domestic.....	5,327	14	54	89	253	448	922	1,638	1,909
Personal.....	19,221	323	461	793	1,378	2,122	3,418	5,045	5,681
Protective.....	5,083	376	266	387	496	692	677	896	1,293
Building.....	7,683	78	129	256	397	671	1,185	2,079	2,888
Agriculture, fishery, and forestry..	17,405	224	317	522	905	1,362	2,619	4,719	6,737
Manufacturing and related activities.....	127,828	2,552	4,022	6,386	10,165	14,505	21,192	30,996	38,010
Skilled.....	54,988	904	1,317	2,338	3,841	5,737	8,649	13,483	18,719
Semiskilled.....	39,947	802	1,402	2,184	3,535	4,820	6,985	9,709	10,510
Unskilled.....	32,893	846	1,303	1,864	2,789	3,948	5,558	7,804	8,781
Unknown.....	31,678	894	1,211	1,839	2,696	3,689	5,150	7,219	8,980

Table 22.--Worker disability allowances: Number by major occupational groups and sex, 1966

Major occupational groups	Total		Male		Female	
	Number	Per-cent	Number	Per-cent	Number	Per-cent
Total.....	273,513	100.0	206,398	100.0	67,115	100.0
Professional and managerial.....	26,756	9.8	19,970	9.7	6,786	10.1
Professional.....	8,159	3.0	4,364	2.1	3,795	5.7
Semi-professional.....	2,567	0.9	1,991	1.0	576	0.9
Managerial and official.....	16,030	5.9	13,615	6.6	2,415	3.6
Clerical and sales.....	32,532	11.9	15,192	7.4	17,340	25.8
Clerical.....	20,285	7.4	7,203	3.5	13,082	19.5
Sales.....	12,247	4.5	7,989	3.9	4,258	6.3
Service.....	37,314	13.6	18,932	9.2	18,382	27.4
Domestic.....	5,327	1.9	325	0.2	5,002	7.5
Personal.....	19,221	7.0	7,609	3.7	11,612	17.3
Protective.....	5,084	1.9	4,989	2.4	95	0.1
Building.....	7,682	2.8	6,009	2.9	1,673	2.5
Agricultural, fishery and forestry...	17,405	6.4	16,688	8.1	717	1.1
Manufacturing and related activities.	127,828	46.7	112,125	54.3	15,703	23.4
Skilled.....	54,988	20.1	52,087	25.2	2,901	4.3
Semi-skilled.....	39,947	14.6	31,355	15.2	8,592	12.8
Unskilled.....	32,893	12.0	28,683	13.9	4,210	6.3
Unknown.....	31,678	11.6	23,491	11.4	8,187	12.2

Table 23.--Worker disability allowances: Number by major occupational groups and color, 1966

Major occupational groups	Total				Percentage of major occupational groups			
	Number	White	Negro	Other	Number	White	Negro	Other
Total.....	273,513	233,404	37,593	2,516	100.0	100.0	100.0	100.0
Professional and managerial..	26,756	25,524	1,076	156	9.8	10.9	2.9	6.2
Professional.....	8,159	7,574	545	40	3.0	3.2	1.4	1.6
Semiprofessional.....	2,567	2,442	98	27	.9	1.0	.3	1.1
Managerial.....	16,030	15,508	433	89	5.9	6.6	1.2	3.5
Clerical and sales.....	32,532	31,388	993	151	11.9	13.4	2.6	6.0
Clerical.....	20,285	19,437	746	102	7.4	8.3	2.0	4.1
Sales.....	12,247	11,951	247	49	4.5	5.1	.7	1.9
Service.....	37,314	26,414	10,424	476	13.6	11.3	27.7	18.9
Domestic.....	5,327	1,729	3,567	31	1.9	.7	9.5	1.2
Personal.....	19,221	15,446	3,481	294	7.0	6.6	9.3	11.7
Protective.....	5,083	4,632	389	62	1.9	2.0	1.0	2.5
Building.....	7,683	4,607	2,987	89	2.8	2.0	7.9	3.5
Agriculture, fishery, forestry.....	17,405	14,690	2,328	387	6.4	6.3	6.2	15.4
Manufacturing and related activities.....	127,828	107,989	18,743	1,096	46.7	46.3	49.9	43.6
Skilled.....	54,988	51,416	3,230	342	20.1	22.0	8.6	13.6
Semiskilled.....	39,947	33,956	5,679	312	14.6	14.5	15.1	12.4
Unskilled.....	32,893	22,617	9,834	442	12.0	9.7	26.2	17.6
Unknown.....	31,678	27,399	4,029	250	11.6	11.7	10.7	9.9

Table 24.--Worker disability allowances: Number by diagnostic group and major occupation, 1966

Diagnostic group	Total	Professional and managerial	Clerical and sales	Service	Agriculture	Skilled	Semi-skilled	Unskilled	Unknown
	Total								
Total	273,513	26,756	32,532	37,314	17,405	54,988	39,947	32,893	31,678
Infective and parasitic diseases	11,248	770	1,034	1,479	701	2,049	1,736	1,726	1,753
Neoplasms	29,241	3,624	4,053	3,741	1,548	5,886	3,778	2,364	4,247
Allergic, endocrine system, metabolic, and nutritional diseases	10,043	1,029	1,253	2,193	548	1,524	1,436	1,041	1,019
Diseases of the blood and blood-forming organs	744	88	101	104	57	117	115	94	68
Mental, psychoneurotic, and personality disorders	30,489	2,768	4,850	4,281	1,380	4,137	3,622	3,986	5,465
Diseases of the nervous system and sense organs	32,971	4,143	4,609	4,300	2,134	6,064	4,245	3,616	3,860
Diseases of the circulatory system	73,765	7,789	8,129	10,717	5,182	15,537	11,106	8,410	6,895
Diseases of the respiratory system	21,338	1,647	1,734	2,218	1,735	5,778	3,433	2,805	1,988
Diseases of the digestive system	6,234	662	856	888	330	1,238	890	709	661
Diseases of the genito-urinary system	2,268	261	296	345	138	373	341	257	257
Diseases of the skin and cellular tissue	1,098	107	173	188	63	171	160	127	109
Diseases of the bones and organs of movement	34,474	2,532	3,762	4,640	2,391	7,356	5,705	4,763	3,325
Congenital malformations	2,313	209	292	271	162	433	350	322	274
Accidents, poisonings, and violence	17,090	1,104	1,365	1,919	1,024	4,298	3,005	2,654	1,721
Other	197	23	25	30	12	27	25	19	36
	Percent								
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Infective and parasitic diseases	4.1	2.9	3.2	4.0	4.0	3.7	4.3	5.2	5.5
Neoplasms	10.7	13.5	12.5	10.0	8.9	10.7	9.5	7.2	13.4
Allergic, endocrine system, metabolic, and nutritional diseases	3.7	3.8	3.9	5.9	3.1	2.8	3.6	3.2	3.2
Diseases of the blood and blood-forming organs	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.2
Mental, psychoneurotic, and personality disorders	11.1	10.3	14.9	11.5	7.9	7.5	9.1	12.1	17.3
Diseases of the nervous system and sense organs	12.1	15.5	14.2	11.5	12.3	11.0	10.6	11.0	12.2
Diseases of the circulatory system	27.0	29.1	25.0	28.7	29.8	28.3	27.8	25.6	21.8
Diseases of the respiratory system	7.8	6.2	5.3	5.9	10.0	10.5	8.6	8.5	6.3
Diseases of the digestive system	2.3	2.5	2.6	2.4	1.9	2.3	2.2	2.2	2.1
Diseases of the genito-urinary system	0.8	1.0	0.9	0.9	0.8	0.7	0.9	0.8	0.8
Diseases of the skin and cellular tissue	0.4	0.4	0.5	0.5	0.4	0.3	0.4	0.4	0.3
Diseases of the bones and organs of movement	12.6	9.5	11.6	12.4	13.7	13.4	14.3	14.5	10.5
Congenital malformations	0.8	0.8	0.9	0.7	0.9	0.8	0.9	1.0	0.9
Accidents, poisonings, and violence	6.2	4.1	4.2	5.1	5.9	7.8	7.5	8.1	5.4
Other	0.1	0.1	0.1	0.1	0.1	1/	0.1	0.1	0.1

1/ Less than .05 percent.

Table 25.--Worker disability allowances: Leading causes of disability by major occupational groups and sex, 1966

Major occupational groups	Total	Arterio-sclerotic heart disease, including coronary disease (420)	Emphy-sema (528)	Schizo-phrenic disorders (dementia praecox) (300)	Osteo-arthri-tis and allied condi-tions (723)	Certain and unspeci-fied hyper-tensive heart disease (443)	Pulmo-nary tuber-culo-sis (002)	Dis-place-ment of inter-verte-bral disc (735)	Rheuma-toid arthri-tis and allied condi-tions (722)	Dia-betes mel-litus (260)	Cere-bral haemor-rhage (331)	Cere-bral embo-lism and throm-bosis (332)	All others
	Total												
Total.....	273,513	45,714	16,998	13,097	10,336	9,198	8,643	8,544	7,028	6,845	6,359	4,754	135,997
Prof. & manag....	26,756	5,044	1,267	885	607	628	456	435	698	700	756	655	14,625
Clerical & sales.	32,532	4,980	1,365	2,260	887	713	660	698	1,226	894	749	569	17,531
Service.....	37,314	5,892	1,666	1,947	1,647	1,906	1,129	778	1,008	1,382	908	624	18,427
Agr. fish. & for.	17,405	3,342	1,447	516	896	734	524	464	501	393	452	280	7,856
Skilled.....	54,988	10,653	4,719	1,508	2,117	1,300	1,626	2,184	1,237	1,119	1,204	999	26,322
Semi-skilled.....	39,947	6,911	2,741	1,409	1,613	1,386	1,369	1,738	993	940	810	626	19,411
Unskilled.....	32,893	4,521	2,158	1,708	1,582	1,637	1,380	1,389	622	682	711	415	16,088
Unknown.....	31,678	4,371	1,635	2,864	987	894	1,499	858	743	735	769	586	15,737
	Percent												
Total.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Prof. & manag....	9.8	11.0	7.5	6.8	5.9	6.8	5.3	5.1	9.9	10.2	11.9	13.8	10.8
Clerical & sales.	11.9	10.9	8.0	17.3	8.6	7.8	7.6	8.2	17.4	13.1	11.8	12.0	12.9
Service.....	13.6	12.9	9.8	14.9	15.9	20.7	13.1	9.1	14.3	20.2	14.3	13.1	13.5
Agr. fish. & for.	6.4	7.3	8.5	3.9	8.7	8.0	6.1	5.4	7.1	5.7	7.1	5.9	5.8
Skilled.....	20.1	23.3	27.8	11.5	20.5	14.1	18.8	25.6	17.6	16.3	18.9	21.0	19.4
Semi-skilled.....	14.6	15.1	16.1	10.8	15.6	15.1	15.8	20.3	14.1	13.7	12.7	13.2	14.3
Unskilled.....	12.0	9.9	12.7	13.0	15.3	17.8	16.0	16.3	8.9	10.0	11.2	8.7	11.8
Unknown.....	11.6	9.6	9.6	21.9	9.5	9.7	17.3	10.0	10.6	10.7	12.1	12.3	11.6
	Male												
Total.....	206,398	36,956	15,380	9,364	7,074	6,310	7,629	6,931	4,053	4,724	5,030	3,895	99,052
Prof. & manag....	19,970	4,172	1,127	599	340	444	380	295	394	533	628	541	10,517
Clerical & sales.	15,192	2,958	921	992	304	340	432	288	331	477	420	337	7,392
Service.....	18,932	3,233	1,256	1,157	535	648	856	374	317	544	470	383	9,159
Agr. fish. & for.	16,688	3,243	1,426	498	847	675	511	452	461	365	439	271	7,500
Skilled.....	52,087	10,233	4,630	1,407	1,962	1,207	1,583	2,090	1,091	1,051	1,154	945	24,734
Semi-skilled.....	31,355	5,619	2,532	1,067	1,102	974	1,239	1,507	614	691	690	549	14,771
Unskilled.....	28,683	3,980	2,045	1,568	1,336	1,419	1,306	1,267	422	540	624	384	13,792
Unknown.....	23,491	3,518	1,443	2,076	648	603	1,322	658	423	523	605	485	11,187
	Percent												
Total.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Prof. & manag....	9.7	11.3	7.3	6.4	4.8	7.0	5.0	4.3	9.7	11.3	12.5	13.9	10.6
Clerical & sales.	7.4	8.0	6.0	10.6	4.3	5.4	5.7	4.2	8.2	10.1	8.3	8.7	7.5
Service.....	9.2	8.7	8.2	12.4	7.6	10.3	11.2	5.4	7.8	11.5	9.3	9.8	9.2
Agr. fish. & for.	8.1	8.8	9.3	5.3	12.0	10.7	6.7	6.5	11.4	7.7	8.7	7.0	7.6
Skilled.....	25.2	27.7	30.1	15.0	27.7	19.1	20.7	30.2	26.9	22.2	22.9	24.3	25.0
Semi-skilled.....	15.2	15.2	16.5	11.4	15.6	15.4	16.2	21.7	15.1	14.6	13.7	14.1	14.9
Unskilled.....	13.9	10.8	13.3	16.7	18.9	22.5	17.1	18.3	10.4	11.4	12.4	9.9	13.9
Unknown.....	11.4	9.5	9.4	22.2	9.2	9.6	17.3	9.5	10.4	11.1	12.0	12.5	11.3
	Female												
Total.....	67,115	8,758	1,618	3,733	3,262	2,888	1,014	1,613	2,975	2,121	1,329	859	36,945
Prof. & manag....	6,786	872	140	286	267	184	76	140	304	167	128	114	4,108
Clerical & sales.	17,340	2,022	444	1,268	583	373	228	410	895	417	329	232	10,139
Service.....	18,382	2,659	410	790	1,112	1,258	273	404	691	838	438	241	9,268
Agr. fish. & for.	717	99	21	18	49	59	13	12	40	28	13	9	356
Skilled.....	2,901	420	89	101	155	93	43	94	146	68	50	54	1,588
Semi-skilled.....	8,592	1,292	209	342	511	412	130	231	379	249	120	77	4,640
Unskilled.....	4,210	541	113	140	246	218	74	122	200	142	87	31	2,296
Unknown.....	8,187	853	192	788	339	291	177	200	320	212	164	101	4,550
	Percent												
Total.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Prof. & manag....	10.1	10.0	8.7	7.7	8.2	6.4	7.5	8.7	10.2	7.9	9.6	13.3	11.1
Clerical & sales.	25.8	23.1	27.4	34.0	17.9	12.9	22.5	25.4	30.1	19.7	24.8	27.0	27.4
Service.....	27.4	30.4	25.3	21.2	34.1	43.6	26.9	25.0	23.2	39.5	33.0	28.1	25.1
Agr. fish. & for.	1.1	1.1	1.3	0.5	1.5	2.0	1.3	0.7	1.3	1.3	1.0	1.0	1.0
Skilled.....	4.3	4.8	5.5	2.7	4.8	3.2	4.2	5.8	4.9	3.2	3.8	6.3	4.3
Semi-skilled.....	12.8	14.8	12.9	9.2	15.7	14.3	12.8	14.3	12.7	11.7	9.0	9.0	12.6
Unskilled.....	6.3	6.2	7.0	3.8	7.5	7.5	7.3	7.6	6.7	6.7	6.5	3.6	6.2
Unknown.....	12.2	9.7	11.9	21.1	10.4	10.1	17.5	12.4	10.8	10.0	12.3	11.8	12.3

Table 26.--Worker disability allowances: Number by major occupation group and State, 1966

State	Total	Professional and managerial	Clerical and sales	Service	Agriculture, fishery, forestry	Skilled	Semiskilled	Unskilled	Unknown
Total.....	273,513	26,756	32,532	37,314	17,405	54,988	39,947	32,893	31,678
Alabama.....	5,958	499	523	804	429	1,221	971	962	549
Alaska.....	167	18	17	16	6	54	17	27	12
Arizona.....	2,247	320	313	294	177	519	244	196	184
Arkansas.....	3,850	356	285	428	650	658	493	597	383
California.....	29,365	3,209	4,270	4,341	1,797	6,587	3,728	2,950	2,483
Colorado.....	2,062	236	273	295	175	444	261	190	188
Connecticut.....	2,961	309	397	345	54	581	403	236	636
Delaware.....	688	70	71	120	33	121	90	89	94
Dist. of Columbia.	989	64	113	365	8	137	115	121	66
Florida.....	8,689	1,127	1,157	1,352	598	1,722	1,012	991	730
Georgia.....	7,273	639	628	1,090	512	1,289	1,338	1,081	696
Hawaii.....	704	74	74	107	94	120	102	71	62
Idaho.....	928	103	85	106	148	199	110	107	70
Illinois.....	13,339	1,169	1,934	1,762	503	2,642	1,775	1,641	1,913
Indiana.....	5,527	529	632	675	270	1,131	822	717	751
Iowa.....	3,236	381	350	386	513	467	382	485	272
Kansas.....	2,440	288	329	330	227	472	268	257	269
Kentucky.....	4,906	417	375	565	595	1,109	773	607	465
Louisiana.....	5,959	447	548	823	447	1,059	825	1,258	552
Maine.....	1,196	107	109	117	63	236	202	164	198
Maryland.....	4,044	374	509	631	128	874	527	593	408
Massachusetts.....	6,034	519	846	710	74	1,232	893	590	1,170
Michigan.....	10,901	1,032	1,177	1,364	316	2,252	1,491	994	2,275
Minnesota.....	3,579	377	498	395	537	674	399	367	332
Mississippi.....	3,999	338	297	512	552	694	627	591	388
Missouri.....	6,348	622	789	853	656	1,105	911	704	708
Montana.....	893	96	83	139	130	200	100	81	64
Nebraska.....	1,674	184	179	242	278	296	178	179	138
Nevada.....	451	55	62	102	12	98	42	32	48
New Hampshire.....	738	65	80	80	15	170	146	78	104
New Jersey.....	8,883	936	1,236	1,068	114	1,785	1,392	932	1,420
New Mexico.....	1,249	115	138	177	108	289	169	152	101
New York.....	27,992	2,951	4,597	4,585	450	4,871	4,164	2,544	3,830
North Carolina....	7,262	674	550	864	859	1,383	1,558	859	515
North Dakota.....	698	65	66	106	215	101	53	63	29
Ohio.....	12,419	1,050	1,438	1,651	339	2,706	2,188	1,619	1,428
Oklahoma.....	4,348	489	434	618	393	878	593	579	364
Oregon.....	2,958	321	339	362	212	608	504	331	281
Pennsylvania.....	16,528	1,506	1,754	2,061	246	3,640	2,672	2,328	2,321
Rhode Island.....	1,217	89	144	129	9	247	211	92	296
South Carolina....	4,260	334	322	541	396	789	961	647	270
South Dakota.....	739	84	60	83	197	121	60	90	44
Tennessee.....	5,608	492	505	752	552	1,068	858	727	654
Texas.....	14,025	1,436	1,615	2,025	1,151	2,794	1,944	1,671	1,389
Utah.....	900	100	118	106	70	240	98	80	88
Vermont.....	568	59	56	66	59	101	78	57	92
Virginia.....	6,098	559	563	842	447	1,269	936	896	586
Washington.....	3,853	423	447	548	297	900	527	421	290
West Virginia.....	4,087	282	261	340	103	1,321	697	669	414
Wisconsin.....	5,078	497	602	553	557	999	671	649	550
Wyoming.....	367	40	33	55	54	72	42	35	36
Puerto Rico.....	2,861	193	222	366	570	379	303	460	368
Abroad.....	370	37	29	67	10	64	23	36	104

Table 27.--Worker disability allowances: Number and percent by occupation and sex, 1966

Occupation	Total		Male		Female	
	Number	Percent of total	Number	Percent	Number	Percent
Total	273,513	100.0	206,398	100.0	67,115	100.0
Chauffeurs and drivers, bus, taxi, truck, and tractor	12,804	4.7	12,688	6.1	116	0.2
Mechanics and repairmen, NEC	7,479	2.7	7,391	3.6	88	0.1
General farmers	7,370	2.7	7,185	3.5	185	0.3
Construction occupations, NEC	6,328	2.3	6,306	3.1	22	1/
Managers and officials, NEC	6,191	2.3	5,407	2.6	784	1.2
Carpenters	6,023	2.2	5,989	2.9	34	0.1
Farmhands, general farms	5,143	1.9	4,923	2.4	220	0.3
Retail managers	4,869	1.8	4,225	2.0	644	1.0
Cooks, except private family	4,787	1.8	2,137	1.0	2,650	3.9
Maids, general	4,711	1.7	176	0.1	4,535	6.8
Janitors and sextons	4,003	1.5	3,817	1.8	186	0.3
Clerks, general office	3,974	1.5	1,330	0.6	2,644	3.9
Occupations in fabrication of textile products, NEC	3,895	1.4	490	0.2	3,405	5.1
Warehousing, storekeeping, handling, loading and related occupations, NEC	3,780	1.4	3,570	1.7	210	0.3
Salespersons	3,642	1.3	1,029	0.5	2,613	3.9
Salesmen and sales agents, except consumers	3,552	1.3	3,355	1.6	197	0.3
Waiters and waitresses, except private family	3,496	1.3	622	0.3	2,874	4.3
Bookkeepers and cashiers, except bank cashiers	3,456	1.3	844	0.4	2,612	3.9
Mechanics and repairmen, motor vehicle	3,352	1.2	3,333	1.6	19	1/
Painters, construction and maintenance	2,801	1.0	2,781	1.3	20	1/
Occupations in laundering, cleaning, dyeing, and pressing of apparel and other articles	2,752	1.0	907	0.4	1,845	2.7
Packing, filling, labeling, marking, bottling, washing, and related occupations, NEC	2,547	0.9	1,089	0.5	1,458	2.2
Foreman, manufacturing	2,494	0.9	2,294	1.1	200	0.3
Secretaries	2,465	0.9	105	0.1	2,360	3.5
Welders and frame cutters	2,446	0.9	2,363	1.1	83	0.1
Miners and mining-machine operators	2,400	0.9	2,396	1.2	4	1/
Occupations in manufacture of textiles, NEC	2,373	0.9	1,094	0.5	1,279	1.9
Kitchen workers in hotels, restaurants, railroads, steamships, etc. NEC	2,282	0.8	1,300	0.6	982	1.5
Soldiers, sailors, marines, and coast guards, NEC	2,262	0.8	2,239	1.1	23	1/
Hotel and restaurant managers	2,196	0.8	1,639	0.8	557	0.8
Machinists	2,161	0.8	2,127	1.0	34	0.1
Attendants, hospitals and other institutions, NEC	2,140	0.8	562	0.3	1,578	2.4
Plumbers	2,061	0.8	2,058	1.0	3	1/
Construction machinery operators, NEC	1,908	0.7	1,897	0.9	11	1/
Guards and watchmen, except crossing watchmen	1,863	0.7	1,834	0.9	29	1/
Barbers, beauticians and manicurists	1,788	0.7	1,012	0.5	776	1.2
Electricians	1,695	0.6	1,674	0.8	21	1/
Salesclerks	1,657	0.6	671	0.3	986	1.5
Porters, NEC	1,655	0.6	1,607	0.8	48	0.1
Foreman, NEC	1,565	0.6	1,409	0.7	156	0.2
Nurses	1,545	0.6	63	1/	1,482	2.2
Occupations in mechanical treatment of metals (rolling, stamping, forging, pressing, etc.) NEC	1,543	0.6	1,185	0.6	358	0.5
Teachers	1,532	0.6	430	0.2	1,102	1.6
Charwomen and cleaners	1,476	0.5	132	0.1	1,344	2.0
Midwives and practical nurses	1,462	0.5	70	1/	1,392	2.1
Stenographers and typists	1,368	0.5	129	0.1	1,239	1.8
Attendants, filling stations and parking lots	1,354	0.5	1,349	0.7	5	1/
Telephone operators	1,351	0.5	80	1/	1,271	1.9
Shipping and receiving clerks	1,318	0.5	1,140	0.6	178	0.3
Routemen	1,300	0.5	1,291	0.6	9	1/
Bartenders	1,252	0.5	1,182	0.6	70	0.1
Salesmen, insurance	1,251	0.5	1,118	0.5	133	0.2
Machine shop and related occupations, NEC	1,248	0.5	1,103	0.5	145	0.2
Sawmill occupations, NEC	1,233	0.5	1,223	0.6	10	1/
Occupations in extraction of minerals, NEC	1,226	0.4	1,224	0.6	2	1/
Meatcutters, except in slaughtering and packing houses	1,215	0.4	1,173	0.6	42	0.1
General industry clerks	1,188	0.4	607	0.3	581	0.9
Stock clerks	1,069	0.4	926	0.4	143	0.2
Brick and stone masons and tile setters	1,032	0.4	1,028	0.5	4	1/
Public service occupations, NEC	1,031	0.4	1,021	0.5	10	1/
All others	103,153	37.7	82,049	39.8	21,104	31.4

1/ Less than .05 percent.

Table 28.--Worker disability denials: Number and percentage distribution by age, sex, and reason for denial, 1966

[Based partly on 20-percent sample]

Reason for denial	Age on birthday in 1966									
	Total		Under 35		35-49		50-59		60 and over	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
	Total									
Total	204,938	100.0	12,334	100.0	63,059	100.0	84,152	100.0	45,393	100.0
Was not disabled at latest time the quarters-of-coverage requirements were met	63,718	31.1	1,356	11.0	17,150	27.2	29,761	35.4	15,451	34.0
Failed to meet medical standards for disability	115,301	56.3	8,948	72.5	39,113	62.0	45,214	53.7	22,026	48.5
Met medical standards for disability but able to engage in substantial gainful activity	9,457	4.6	908	7.4	2,778	4.4	3,518	4.2	2,253	5.0
Failed to furnish sufficient evidence	9,806	4.8	828	6.7	2,638	4.2	3,421	4.1	2,919	6.4
Failed to meet the requirements of 6 months' continuous disability	847	.4	6	.0	69	.1	245	.3	527	1.2
Other	5,809	2.8	288	2.3	1,311	2.1	1,993	2.4	2,217	4.9
	Male									
Total	140,172	100.0	9,934	100.0	45,691	100.0	53,649	100.0	30,898	100.0
Was not disabled at latest time the quarters-of-coverage requirements were met	41,898	29.9	929	9.4	11,679	25.6	19,044	35.5	10,246	33.2
Failed to meet medical standards for disability	78,012	55.7	7,212	72.6	28,632	62.7	27,688	51.6	14,480	46.9
Met medical standards for disability but able to engage in substantial gainful activity	8,045	5.7	824	8.3	2,383	5.2	2,896	5.4	1,942	6.3
Failed to furnish sufficient evidence	7,029	5.0	701	7.1	1,908	4.2	2,368	4.4	2,052	6.6
Failed to meet the requirements of 6 months' continuous disability	722	.5	6	.1	69	.2	213	.4	434	1.4
Other	4,466	3.2	262	2.6	1,020	2.2	1,440	2.7	1,744	5.6
	Female									
Total	64,766	100.0	2,400	100.0	17,368	100.0	30,503	100.0	14,495	100.0
Was not disabled at latest time the quarters-of-coverage requirements were met	21,820	33.7	427	17.8	5,471	31.5	10,717	35.1	5,205	35.9
Failed to meet medical standards for disability	37,289	57.6	1,736	72.3	10,481	60.3	17,526	57.5	7,546	52.1
Met medical standards for disability but able to engage in substantial gainful activity	1,412	2.2	84	3.5	395	2.3	622	2.0	311	2.1
Failed to furnish sufficient evidence	2,777	4.3	127	5.3	730	4.2	1,053	3.5	867	6.0
Failed to meet the requirements of 6 months' continuous disability	125	.2	0	---	0	---	32	.1	93	0.6
Other	1,343	2.1	26	1.1	291	1.7	553	1.8	473	3.3

Table 29.--Worker allowances and denials: Number and percentage allowed by age and sex, 1966

Age	Applicants			
	Total	Allowances	Denials	Percent allowed
	Total			
Total....	478,451	273,513	204,938	57.2
Under 35.....	26,277	13,943	12,334	53.1
35-49.....	125,767	62,708	63,059	49.9
50-59.....	195,424	111,272	84,152	56.9
60 and over...	130,983	85,590	45,393	65.3
	Male			
Total....	346,570	206,398	140,172	59.5
Under 35.....	21,359	11,425	9,934	53.5
35-49.....	93,201	47,510	45,691	51.0
50-59.....	134,565	80,916	53,649	60.1
60 and over...	97,445	66,547	30,898	68.3
	Female			
Total....	131,881	67,115	64,766	50.9
Under 35.....	4,918	2,518	2,400	51.2
35-49.....	32,566	15,198	17,368	46.7
50-59.....	60,859	30,356	30,503	49.9
60 and over...	33,538	19,043	14,495	56.8

Table 30.--Childhood disability allowances: Number and percentage distribution by age and sex, 1966

Age on birthday in 1966	Total		Male		Female	
	Number	Per-cent	Number	Per-cent	Number	Per-cent
Total...	19,027	100.0	10,247	100.0	8,780	100.0
18-24.....	8,603	45.2	4,805	46.9	3,798	43.3
25-29.....	2,498	13.1	1,402	13.7	1,096	12.5
30-34.....	2,411	12.7	1,296	12.6	1,115	12.7
35-39.....	2,247	11.8	1,153	11.3	1,094	12.5
40-44.....	1,622	8.5	819	8.0	803	9.1
45-49.....	874	4.6	436	4.3	438	5.0
50 and over..	772	4.1	336	3.3	436	5.0

Table 31.--Childhood disability allowances: Number and percentage distribution by education and sex, 1966

[Based partly on 50-percent sample]

Highest grade of school completed	Total		Male		Female	
	Number	Per-cent	Number	Per-cent	Number	Per-cent
Total.....	19,027	100.0	10,247	100.0	8,780	100.0
No schooling 1/.....	8,347	43.9	4,626	45.1	3,721	42.4
4th grade or less.....	2,702	14.2	1,487	14.5	1,215	13.8
5-7.....	2,248	11.8	1,189	11.6	1,059	12.1
8.....	1,325	7.0	660	6.4	665	7.6
9-11.....	1,950	10.2	1,033	10.1	917	10.4
12.....	1,204	6.3	571	5.6	633	7.2
1 or more years at a college or university.....	197	1.0	83	.8	114	1.3
Unknown.....	1,054	5.5	598	5.8	456	5.2

1/ Includes cases where the child attended an ungraded school for handicapped children.

Table 32.--Childhood disability allowances: Number and percentage distribution by age and mobility status, 1966

Mobility status	Age on birthday in 1966									
	Total		18-24		25-34		35-44		45 and over	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total.....	19,027	100.0	8,603	100.0	4,909	100.0	3,869	100.0	1,646	100.0
Institutionalized 1/..	5,162	27.1	2,090	24.3	1,307	26.6	1,207	31.2	558	33.9
Hospitalized 2/.....	135	.7	86	1.0	18	.4	22	.6	9	.5
Housebound.....	1,304	6.9	545	6.3	367	7.5	299	7.7	93	5.7
Ambulatory outside the home-										
With help.....	4,474	23.5	2,060	23.9	1,150	23.4	882	22.8	382	23.2
By self.....	7,952	41.8	3,822	44.4	2,067	42.1	1,459	37.7	604	36.7

1/ Disabled person was confined to an institution i.e. mental, tuberculosis, or chronic disease hospital, soldiers' home, etc.
2/ Disabled person was a patient in a general hospital.

Table 33.--Childhood disability allowances: Number and percentage distribution by diagnostic group and by age and sex, 1966

Diagnostic group	Age on birthday in 1966							
	Total		18-24		25-44		45 and over	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
	Total							
Total	19,027	100.0	8,603	100.0	8,778	100.0	1,646	100.0
Infective and parasitic diseases	374	2.0	146	1.7	168	1.9	60	3.6
Neoplasms	112	.6	85	1.0	21	.2	6	.4
Allergic, endocrine system, metabolic and nutritional diseases	126	.7	55	.6	58	.7	13	.8
Mental, psychoneurotic, and personality disorders	13,096	68.8	5,839	67.9	6,107	69.6	1,150	69.9
Diseases of the nervous system and sense organs	4,052	21.3	1,751	20.4	1,971	22.5	330	20.0
Diseases of the bones and organs of movement	305	1.6	138	1.6	131	1.5	36	2.2
Congenital malformations	530	2.8	290	3.4	207	2.4	33	2.0
Accidents, poisonings, and violence	201	1.1	134	1.6	60	.7	7	.4
Other	231	1.2	165	1.9	55	.6	11	.7
	Male							
Total	10,247	100.0	4,805	100.0	4,670	100.0	772	100.0
Infective and parasitic diseases	171	1.7	77	1.6	72	1.5	22	2.8
Neoplasms	58	.6	49	1.0	9	.2	0	---
Allergic, endocrine system, metabolic and nutritional diseases	48	.5	23	.5	21	.4	4	.5
Mental, psychoneurotic, and personality disorders	7,052	68.8	3,266	68.0	3,238	69.3	548	71.0
Diseases of the nervous system and sense organs	2,230	21.8	975	20.3	1,098	23.5	157	20.3
Diseases of the bones and organs of movement	170	1.7	85	1.8	67	1.4	18	2.3
Congenital malformations	264	2.6	155	3.2	93	2.0	16	2.1
Accidents, poisonings, and violence	148	1.4	99	2.1	46	1.0	3	.4
Other	106	1.0	76	1.6	26	.6	4	.5
	Female							
Total	8,780	100.0	3,798	100.0	4,108	100.0	874	100.0
Infective and parasitic diseases	203	2.3	69	1.8	96	2.3	38	4.3
Neoplasms	54	.6	36	.9	12	.3	6	.7
Allergic, endocrine system, metabolic and nutritional diseases	78	.9	32	.8	37	.9	9	1.0
Mental, psychoneurotic, and personality disorders	6,044	68.8	2,573	67.7	2,869	69.8	602	68.9
Diseases of the nervous system and sense organs	1,822	20.8	776	20.4	873	21.3	173	19.8
Diseases of the bones and organs of movement	135	1.5	53	1.4	64	1.6	18	2.1
Congenital malformations	266	3.0	135	3.6	114	2.8	17	1.9
Accidents, poisonings, and violence	53	.6	35	.9	14	.3	4	.5
Other	125	1.4	89	2.3	29	.7	7	.8

Table 34.--Childhood disability allowances: Number by sex and percentage distribution by diagnostic group and primary diagnosis, 1966

Diagnostic group and primary diagnosis	International code	Total		Male		Female	
		Number	Percent	Number	Percent	Number	Percent
Total	---	19,027	100.0	10,247	100.0	8,780	100.0
Infective and parasitic diseases	001-138	374	2.0	171	1.7	203	2.3
Acute poliomyelitis	080	144	.8	64	.6	80	.9
Late effects of acute poliomyelitis	081	135	.7	61	.6	74	.8
Other	---	95	.5	46	.4	49	.6
Neoplasms	140-239	112	.6	58	.6	54	.6
Allergic, endocrine system, metabolic, and nutritional diseases	240-289	126	.7	48	.5	78	.9
Mental, psychoneurotic, and personality disorders	300-329	13,096	68.8	7,052	68.8	6,044	68.8
Mental deficiency	325	10,222	53.7	5,343	52.1	4,879	55.6
Schizophrenic disorders (dementia praecox)	300	1,367	7.2	809	7.9	558	6.4
Mental deterioration and certain other psychoses of unspecified etiology	309	671	3.5	393	3.8	278	3.2
Chronic brain syndrome	328	496	2.6	316	3.1	180	2.1
Psychosis due to any disease or injury of brain	308	116	.6	63	.6	53	.6
Other	---	224	1.2	128	1.2	96	1.1
Diseases of the nervous system and sense organs	330-398	4,052	21.3	2,230	21.8	1,822	20.8
Cerebral spastic infantile paralysis	351	1,648	8.7	938	9.2	710	8.1
Epilepsy	353	1,253	6.6	674	6.6	579	6.6
Deafness	398	155	.8	70	.7	85	1.0
Deaf mutism	397	128	.7	70	.7	58	.7
Blindness	389	119	.6	60	.6	59	.7
Certain vascular lesions affecting central nervous system	334	108	.6	57	.6	51	.6
Certain diseases of the eye	388	108	.6	62	.6	46	.5
Other	---	533	2.8	299	2.9	234	2.7
Diseases of the bones and organs of movement	720-749	305	1.6	170	1.7	135	1.5
Certain diseases of muscle, tendon, and fascia	744	122	.6	90	.9	32	.4
Other	---	183	1.0	80	.8	103	1.2
Congenital malformations	750-759	530	2.8	264	2.6	266	3.0
Congenital cataract and other congenital malformations of nervous system and sense organs	753	181	1.0	96	.9	85	1.0
Congenital malformations of circulatory system	754	100	.5	54	.5	46	.5
Other	---	249	1.3	114	1.1	135	1.5
Alternative classification of accidents, poisonings, and violence	800-999	201	1.1	148	1.4	53	.6
Other	---	231	1.2	106	1.0	125	1.4

Table 35.--Childhood disability allowances: Ten primary diagnoses occuring most often among children by sex, and percent of total, 1966

Primary diagnosis	International code	Number	Percent	Cumulative percent
	Total			
1. Mental deficiency	325	10,222	53.7	53.7
2. Cerebral spastic infantile paralysis	351	1,648	8.7	62.4
3. Schizophrenic disorders (dementia praecox)	300	1,367	7.2	69.6
4. Epilepsy	353	1,253	6.6	76.1
5. Mental deterioration and certain other psychoses of unspecified etiology	309	671	3.5	79.7
6. Chronic brain syndrome	328	496	2.6	82.3
7. Congenital cataract and other congenital malformations of nervous system and sense organs	753	181	1.0	83.3
8. Deafness	398	155	.8	84.1
9. Acute poliomyelitis	080	144	.8	84.9
10. Late effects of acute poliomyelitis	081	135	.7	85.6
	Male			
1. Mental deficiency	325	5,343	52.1	52.1
2. Cerebral spastic infantile paralysis	351	938	9.2	61.3
3. Schizophrenic disorders (dementia praecox)	300	809	7.9	69.2
4. Epilepsy	353	674	6.6	75.8
5. Mental deterioration and certain other psychoses of unspecified etiology	309	393	3.8	79.6
6. Chronic brain syndrome	328	316	3.1	82.7
7. Congenital cataract and other congenital malformations of nervous system and sense organs	753	96	.9	83.6
8. Certain diseases of muscle, tendon, and fascia	744	90	.9	84.5
9. Deaf mutism	397	70	.7	85.1
10. Deafness	398	70	.7	85.8
	Female			
1. Mental deficiency	325	4,879	55.6	55.6
2. Cerebral spastic infantile paralysis	351	710	8.1	63.6
3. Epilepsy	353	579	6.6	70.2
4. Schizophrenic disorders (dementia praecox)	300	558	6.4	76.6
5. Mental deterioration and certain other psychoses of unspecified etiology	309	278	3.2	79.7
6. Chronic brain syndrome	328	180	2.1	81.8
7. Deafness	398	85	1.0	82.8
8. Congenital malformation of nervous system and sense organs	753	85	1.0	83.7
9. Acute poliomyelitis	080	80	.9	84.6
10. Late effects of acute poliomyelitis	081	74	.8	85.4

Table 36.--Childhood disability allowances: Ten primary diagnoses occurring most often among children by age, and percent of total, 1966

Primary diagnosis	International code	Number	Percent	Cumulative percent
Aged 18-24				
1. Mental deficiency	325	4,701	54.6	54.6
2. Cerebral spastic infantile paralysis	351	712	8.3	62.9
3. Epilepsy	353	522	6.1	69.0
4. Schizophrenic disorders (dementia praecox)	300	520	6.0	75.0
5. Chronic brain syndrome	328	247	2.9	77.9
6. Mental deterioration and certain other psychoses of unspecified etiology	309	221	2.6	80.4
7. Deafness	398	94	1.1	81.5
8. Congenital cataract and other congenital malformations of nervous system and sense organs	753	81	.9	82.5
9. Congenital malformations of circulatory system	754	72	.8	83.3
10. Certain diseases of muscle, tendon, and fascia	744	69	.8	84.1
Aged 25-44				
1. Mental deficiency	325	4,692	53.5	53.5
2. Cerebral spastic infantile paralysis	351	835	9.5	63.0
3. Schizophrenic disorders (dementia praecox)	300	680	7.7	70.7
4. Epilepsy	353	643	7.3	78.0
5. Mental deterioration and certain other psychoses of unspecified etiology	309	365	4.2	82.2
6. Chronic brain syndrome	328	216	2.5	84.6
7. Congenital cataract and other congenital malformations of nervous system and sense organs	753	77	.9	85.5
8. Deaf mutism	397	68	.8	86.3
9. Acute poliomyelitis	080	64	.7	87.0
10. Psychosis due to any disease or injury of brain	308	64	.7	87.7
Aged 45 and over				
1. Mental deficiency	325	829	50.4	50.4
2. Schizophrenic disorders (dementia praecox)	300	167	10.1	60.5
3. Cerebral spastic infantile paralysis	351	101	6.1	66.6
4. Epilepsy	353	88	5.3	72.0
5. Mental deterioration and certain other psychoses of unspecified etiology	309	85	5.2	77.1
6. Chronic brain syndrome	328	33	2.0	79.1
7. Deaf mutism	397	27	1.6	80.8
8. Acute poliomyelitis	080	25	1.5	82.3
9. Congenital cataract and other congenital malformations of nervous system and sense organs	753	23	1.4	83.7
10. Late effects of acute poliomyelitis	081	21	1.3	84.9

Table 37.--Childhood disability allowances: Number by State and diagnostic group, 1966

State	Diagnostic group							
	Total	Infective and parasitic diseases	Mental, psychoneurotic, and personality disorders	Diseases of the nervous system and sense organs	Diseases of the bones and organs of movement	Congenital malformations	Accidents, poisonings, and violence	Other
Total.....	19,027	374	13,096	4,052	305	530	201	469
Alabama.....	520	15	360	104	7	16	5	13
Alaska.....	9	0	6	2	0	1	0	0
Arizona.....	122	4	76	26	3	8	2	3
Arkansas.....	291	14	176	75	7	7	3	9
California.....	1,270	25	858	286	16	35	13	37
Colorado.....	132	5	84	33	2	5	2	1
Connecticut.....	249	3	178	51	2	8	3	4
Delaware.....	36	1	28	5	0	2	0	0
Dist. of Columbia.	43	0	31	10	0	0	0	2
Florida.....	285	4	182	72	3	8	4	12
Georgia.....	475	7	308	114	6	21	9	10
Hawaii.....	41	2	34	2	1	1	0	1
Idaho.....	67	0	50	13	0	2	1	1
Illinois.....	1,008	19	668	241	14	33	9	24
Indiana.....	473	9	330	103	10	13	4	4
Iowa.....	401	7	293	76	4	10	5	6
Kansas.....	187	5	138	31	3	4	3	3
Kentucky.....	445	11	277	114	12	17	6	8
Louisiana.....	435	6	287	101	8	10	4	19
Maine.....	133	5	99	20	1	2	3	3
Maryland.....	186	2	139	29	3	9	2	2
Massachusetts.....	505	8	387	85	6	11	1	7
Michigan.....	543	10	362	129	5	19	5	13
Minnesota.....	375	9	269	75	9	7	2	4
Mississippi.....	128	8	67	38	4	5	2	4
Missouri.....	426	7	276	107	7	9	8	12
Montana.....	42	0	27	10	2	2	0	1
Nebraska.....	170	3	119	35	1	6	1	5
Nevada.....	16	0	11	3	2	0	0	0
New Hampshire.....	57	0	40	12	1	1	2	1
New Jersey.....	573	11	413	115	9	7	7	11
New Mexico.....	84	2	47	27	3	4	0	1
New York.....	1,865	34	1,405	307	20	36	9	54
North Carolina....	773	18	528	175	13	17	9	13
North Dakota.....	108	0	86	13	1	1	3	4
Ohio.....	1,118	23	747	244	21	32	20	31
Oklahoma.....	310	6	225	64	4	4	2	5
Oregon.....	147	0	107	32	1	4	2	1
Pennsylvania.....	1,242	13	883	253	21	36	8	28
Rhode Island.....	50	0	40	7	1	1	1	0
South Carolina....	335	5	224	71	12	11	4	8
South Dakota.....	90	2	61	21	3	1	0	2
Tennessee.....	490	8	320	109	12	16	3	22
Texas.....	904	28	571	208	13	39	18	27
Utah.....	88	2	53	28	0	2	2	1
Vermont.....	59	1	44	10	1	2	0	1
Virginia.....	524	12	352	118	8	15	6	13
Washington.....	270	2	203	40	7	8	2	8
West Virginia.....	169	2	120	31	3	4	1	8
Wisconsin.....	438	10	314	90	4	9	3	8
Wyoming.....	25	1	14	7	0	0	0	3
Puerto Rico.....	255	3	162	66	7	9	1	7
Abroad.....	40	2	17	14	2	0	1	4

Table 38.--Childhood disability allowances: Number and percentage distribution by diagnostic group and State, 1966

State	Number	Percentage distribution by diagnostic group							
		Total	Infective and parasitic diseases	Mental, psychoneurotic, and personality disorders	Diseases of the nervous system and sense organs	Diseases of the bones and organs of movement	Congenital malformations	Accidents, poisonings, and violence	Other
Total.....	19,027	100.0	2.0	68.8	21.3	1.6	2.8	1.1	2.5
Alabama.....	520	100.0	2.9	69.2	20.0	1.3	3.1	1.0	2.5
Alaska.....	9	100.0	0	66.7	22.2	0	11.1	0	0
Arizona.....	122	100.0	3.3	62.3	21.3	2.5	6.6	1.6	2.4
Arkansas.....	291	100.0	4.8	60.5	25.8	2.4	2.4	1.0	3.1
California.....	1,270	100.0	2.0	67.6	22.5	1.3	[illegible].8	1.0	2.9
Colorado.....	132	100.0	3.8	63.6	25.0	1.5	3.8	1.5	.8
Connecticut.....	249	100.0	1.2	71.5	20.5	.8	3.2	1.2	1.6
Delaware.....	36	100.0	2.8	77.8	13.9	0	5.6	0	0
Dist. of Columbia.	43	100.0	0	72.1	23.3	0	0	0	4.7
Florida.....	285	100.0	1.4	63.9	25.3	1.1	2.8	1.4	4.2
Georgia.....	475	100.0	1.5	64.8	24.0	1.3	4.4	1.9	2.1
Hawaii.....	41	100.0	4.9	82.9	4.9	2.4	2.4	0	2.4
Idaho.....	67	100.0	0	74.6	19.4	0	3.0	1.5	1.5
Illinois.....	1,008	100.0	1.9	66.3	23.9	1.4	3.3	.9	2.4
Indiana.....	473	100.0	1.9	69.8	21.8	2.1	2.7	.8	.8
Iowa.....	401	100.0	1.7	73.1	19.0	1.0	2.5	1.2	1.5
Kansas.....	187	100.0	2.7	73.8	16.6	1.6	2.1	1.6	1.6
Kentucky.....	445	100.0	2.5	62.2	25.6	2.7	3.8	1.3	1.8
Louisiana.....	435	100.0	1.4	66.0	23.2	1.8	2.3	.9	4.4
Maine.....	133	100.0	3.8	74.4	15.0	.8	1.5	2.3	2.3
Maryland.....	186	100.0	1.1	74.7	15.6	1.6	4.8	1.1	1.1
Massachusetts.....	505	100.0	1.6	76.6	16.8	1.2	2.2	.2	1.4
Michigan.....	543	100.0	1.8	66.7	23.8	.9	3.5	9	2.4
Minnesota.....	375	100.0	2.4	71.7	20.0	2.4	1.9	.5	1.1
Mississippi.....	128	100.0	6.3	52.3	29.7	3.1	3.9	1.6	3.1
Missouri.....	426	100.0	1.6	64.8	25.1	1.6	2.1	1.9	2.8
Montana.....	42	100.0	0	64.3	23.8	4.8	4.8	0	2.4
Nebraska.....	170	100.0	1.8	70.0	20.6	.6	3.5	.6	2.9
Nevada.....	16	100.0	0	68.8	18.8	12.5	0	0	0
New Hampshire.....	57	100.0	0	70.2	21.1	1.8	1.8	3.5	1.8
New Jersey.....	573	100.0	1.9	72.1	20.1	1.6	1.2	1.2	1.9
New Mexico.....	84	100.0	2.4	56.0	32.1	3.6	4.8	0	1.2
New York.....	1,865	100.0	1.8	75.3	16.5	1.1	1.9	.5	2.9
North Carolina....	773	100.0	2.3	68.3	22.6	1.7	2.2	1.2	1.7
North Dakota.....	108	100.0	0	79.6	12.0	.9	.9	2.8	3.7
Ohio.....	1,118	100.0	2.1	66.8	21.8	1.9	2.9	1.8	2.8
Oklahoma.....	310	100.0	1.9	72.6	20.6	1.3	1.3	.6	1.6
Oregon.....	147	100.0	0	72.8	21.8	.7	2.7	1.4	.7
Pennsylvania.....	1,242	100.0	1.0	71.1	20.4	1.7	2.9	.6	2.3
Rhode Island.....	50	100.0	0	80.0	14.0	2.0	2.0	2.0	0
South Carolina....	335	100.0	1.5	66.9	21.2	3.6	3.3	1.2	2.4
South Dakota.....	90	100.0	2.2	67.8	23.3	3.3	1.1	0	2.2
Tennessee.....	490	100.0	1.6	65.3	22.2	2.4	3.3	.6	4.5
Texas.....	904	100.0	3.1	63.2	23.0	1.4	4.3	2.0	3.0
Utah.....	88	100.0	2.3	60.2	31.8	0	2.3	2.3	1.1
Vermont.....	59	100.0	1.7	74.6	16.9	1.7	3.4	0	1.7
Virginia.....	524	100.0	2.3	67.2	22.5	1.5	2.9	1.1	2.5
Washington.....	270	100.0	.7	75.2	14.8	2.6	3.0	.7	3.0
West Virginia.....	169	100.0	1.2	71.0	18.3	1.8	2.4	.6	4.7
Wisconsin.....	438	100.0	2.3	71.7	20.5	.9	2.1	.7	1.8
Wyoming.....	25	100.0	4.0	56.0	28.0	0	0	0	12.0
Puerto Rico.....	255	100.0	1.2	63.5	25.9	2.7	3.5	.4	2.8
Abroad.....	40	100.0	5.0	42.5	35.0	5.0	0	2.5	10.0

Table 39.--Childhood disability denials: Number and percentage distribution of children found not disabled by age and sex, and by reason for denial, 1966

[Based partly on 20-percent sample]

Reason for denial	Age on birthday in 1966									
	Total		18-24		25-34		35-44		45 and over	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
	Total									
Total	5,567	100.0	3,138	100.0	968	100.0	787	100.0	674	100.0
Failed to meet medical standards for disability	3,631	65.2	2,605	83.0	478	49.4	296	37.6	252	37.4
Met medical standards for disability but able to engage in substantial gainful activity	115	2.1	16	.5	69	7.1	23	2.9	7	1.0
Failed to furnish sufficient evidence	347	6.2	178	5.7	62	6.4	70	8.9	37	5.5
Was not disabled before age 18	1,408	25.3	280	8.9	352	36.4	398	50.6	378	56.1
Other	66	1.2	59	1.9	7	.7	0	---	0	---
	Male									
Total	3,224	100.0	1,955	100.0	550	100.0	405	100.0	314	100.0
Failed to meet medical standards for disability	2,143	66.5	1,623	83.0	241	43.8	179	44.2	100	31.8
Met medical standards for disability but able to engage in substantial gainful activity	94	2.9	9	.5	55	10.0	23	5.7	7	2.2
Failed to furnish sufficient evidence	190	5.9	96	4.9	34	6.2	39	9.6	21	6.7
Was not disabled before age 18	753	23.4	183	9.4	220	40.0	164	40.5	186	59.2
Other	44	1.4	44	2.3	0	---	0	---	0	---
	Female									
Total	2,343	100.0	1,183	100.0	418	100.0	382	100.0	360	100.0
Failed to meet medical standards for disability	1,488	63.5	982	83.0	237	56.7	117	30.6	152	42.2
Met medical standards for disability but able to engage in substantial gainful activity	21	.9	7	.6	14	3.3	0	---	0	---
Failed to furnish sufficient evidence	157	6.7	82	6.9	28	6.7	31	8.1	16	4.4
Was not disabled before age 18	655	28.0	97	8.2	132	31.6	234	61.3	192	53.3
Other	22	.9	15	1.3	7	1.7	0	---	0	---

OTHER PUBLICATIONS OF THE OFFICE OF RESEARCH AND STATISTICS
Social Security Administration

	Price*
Social Security Bulletin The official monthly magazine of the Social Security Administration, U.S. Department of Health, Education, and Welfare	$4.00 a year Single copies 35 cents
Social Security Farm Statistics (annual)	
Social Security Household Worker Statistics (annual)	
State and Local Government Employment Under OASDHI (annual)	
Social Security Programs in the United States	$ .55
Social Security Programs Throughout the World—1967	1.75

Research Reports

Number	Title	
1	Slums and Social Insecurity	.50
2	Independent Health Insurance Plans in the United States: 1961	.25
3	Income Security Standards in Old-Age	
4	Blue Cross-Blue Shield Nongroup Coverage for Older People	
5	Employment and Earnings of Self-Employed Workers Under Social Security	.20
6	The Disabled Worker Under OASDI	1.25
7	Social Security and Social Services in France	.35
8	Age and the Income Distribution	.25
9	The Retirement Decision: An Exploratory Essay	.30
10	The Extent of Health Insurance Coverage in the United States	.30
11	Insured and Disabled Workers Under the Social Security Disability Program: Characteristics and Benefit Payments—1957-1963	.20
12	Financial Experience of Health Insurance Organizations in the United States	.30
13	Old-Age and Sickness Insurance in West Germany in 1965	.25
14	Sweden's Social Security System	.50
15	State and Local Government Retirement Systems—1965	.30
16	Widows With Children Under Social Security	.35
17	Independent Health Insurance Plans in the United States—1965 Survey	.35
18	Interindustry Labor Mobility in the United States—1957 to 1960	1.00
19	The Aged Population of the United States: The 1963 Social Security Survey of the Aged	1.25
20	Some Economic Effects of Seasonality in OASDHI Tax Payments	.25

Research Reports (Continued)

Number	Title	Price*
21	Employment After Retirement: A Study of the Postentitlement Work Experience of Men Drawing Benefits Under Social Security	.25
22	Lifetime Allocation of Work and Leisure	.25
23	Retirement Systems for Employees of State and Local Governments, 1966: Findings of a Survey of Systems Whose Members Were Not Covered Under the OASDHI Program	.40
24	The Economic Status of the Retired Aged in 1980: Simulation Projections	.30
25	Social Welfare Expenditures Under Public Programs in the United States, 1929-66	2.00
26	Reimbursement Incentives for Hospital and Medical Care	.45
27	The Role of Social Security in Economic Development	1.00
28	Geographic Labor Mobility in the United States, 1957 to 1960	1.25
29	The Evolution of Medicare . . . from Idea to Law	.65

*Where price is shown, please order from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402. Other publications listed are available for limited distribution from the Publications Staff, Office of Research and Statistics.